

SECTION 1	PRODUCT AND COMPANY INFORMATION						
TRADE NAME:	MicroEssentials SZ						
CHEMICAL NAME:	Monoammonium Phosphate with Sulfur and Zinc						
CAS NUMBER:	MAP: 7722-76-1 Sulfur: various Zinc: various						
CHEMICAL FAMILY:		Ammonium Phosphates- Inorganic Salts					
SYNONYMS:	Monoammoniui Monobasic Ami Ammonium Dih MESZ MAP + S + Z	Monoammonium Phosphate + Sulfur and Zinc Monobasic Ammonium Phosphate + Sulfur and Zinc Ammonium Dihydrogen Phosphate + Sulfur and Zinc MESZ					
PRIMARY USE:	Crop nutrient to				ıle		
COMPANY INFORMATION:	For non-emerg			The Mosaic Atria Corpora 3 Campus Dri Plymouth, MN www.mosa ons, phone ho 800.918.8270 763.577.270	ate Center ive, Suite E 55441USA icco.com urs are 8 Al 0 (toll free)		al Time US
EMERGENCY TELEPHONE:	EMERGENCY OVERVIEW 24 Hour Emergency Telephone Number For Chemical Emergencies: Spill, Leak, Fire or Accident Call CHEMTREC North America: (800) 424-9300 Others: (703) 527-3887 (collect)						
SECTION 2	HAZARD IDENTIFICATION						
<u> </u>	Health Hazards: Avoid contact with eyes, skin and clothing. Avoid ingestion. Wash thoroughly after handling. Also refer to Sections 11, and 15.						
	Physical Hazards: Slippery when wet.						
	•	Physical Form: Solid					
	Odor: Slig		Grey, tan, brown, or black granules				
				Slight ammonia odor			
EMERGENCY	Toxicity: Non-toxic						
OVERVIEW :			HMIS HAZA CLASS	MIS HAZARD WHMIS HAZARD CLASS		ARD	
	Health:	2		Health:	2		.
	Flammability:	0		Flammability:	0	Symbol	N/A
	Instability:	0		Physical Hazard:	0 Classification	Not WHMIS controlled	
	Special Hazard:	None		PPE:	Section VIII	Sub Class (N/A)	

MSDS #: MOS-100038.01



	Eye:	Contact may cause eye irritation including		
		stinging, watering and redness.		
	Skin:	Contact may cause mild irritation including		
		redness and a burning sensation. No harmful		
		effects from skin absorption have been reported.		
	Inhalation (Breathing):	Effects of overexposure to dusts can include		
	initialation (Breathing).	irritation of the eyes and respiratory tract,		
		pneumoconiosis (dust congested lungs)		
		pneumonitis (lung inflammation), coughing,		
		vomiting, diarrhea, abdominal pain. Contact		
		with particulate matter may cause irritation of the		
		nose and throat, coughing and shortness of		
	Ingestion (Swellowing)	breath including a burning sensation.		
	Ingestion (Swallowing)	Moderate degree of toxicity by ingestion,		
	Ciama and Cumptoma	however ingestion is NOT an intended use.		
	Signs and Symptoms:	Effects of overexposure may include irritation of		
		the nose, throat and digestive tract, nausea,		
		vomiting, diarrhea, headache, runny nose,		
		coughing, shortness of breath, abdominal		
	0	cramping and chest pain.		
DOTENTIAL LIEALTH	Cancer:	Data not available.		
POTENTIAL HEALTH	Target Organs:	Data not available.		
EFFECTS:	Developmental:	Inadequate data available.		
	Other Comments:	These comments relate to minor ingredients or		
		impurities that are present and bound within		
		finished product granules. Overexposure to		
		these minor components during proper handling		
		and use are not expected.		
		Allergic skin responses after repeated contact		
		with sulfur, a component, have been reported but		
		are not common.		
		Prolonged or repeated overexposure to fluoride		
		compounds may cause fluorosis. Fluorosis is		
		characterized by skeletal changes, consisting of		
		osteosclerosis (hardening or abnormal density of		
		bone) and osteomalacia (softening of bones) and		
		by mottled discoloration of the enamel of teeth (if		
		exposure occurs during enamel formation).		
		Symptoms may include bone and joint pain and		
		limited range of motion.		
	Pre-Existing Medical	Skin and Respiratory (asthma-like) disorders.		
	Conditions:	, , , , , ,		
POTENTIAL		dered biodegradable and is taken up as a nutrient		
ENVIRONMENTAL	by vegetation. Large spills can harm or kill vegetation. May release ammonium			
EFFECTS:	ions that are toxic to fish in water systems. May release phosphates which will			
	result in algae growth, increased turbidity and depleted oxygen in water system			

Status: Revised Issue Date: 12/22/2009 Section(s) Revised: All MSDS #: MOS-100038.01

Revision Date: 12/21/2012



		COMPOSITION			
SECTION 3	INFORMATION ON INGREDIENTS				
	Phosphate as P ₂ O ₅	Primary nutrient ingredient	40%		
COMPOSITION:	Nitrogen as N	Primary nutrient ingredient	12%		
	Water	Trace as moisture	0.5 – 2%		
	Sulfur as S	Secondary nutrient ingredient	5%		
	Sulfate as S	Secondary nutrient ingredient	5%		
	Zinc as Zn	Micro nutrient	1%		
	Fluorides as F	Impurity	2-4%		
SECTION 4	FIRST AID MEASURES				
02011011	Move victim away from exposure and into fresh				
		air. Flush eyes with plenty of clean water for at			
	Eyes:	least 15 minutes. If symptoms persist, seek			
		medical attention.			
		Wash contaminated area thoro	ughly with mild		
		soap and water. If chemical or solution soaks			
	Skin:	through clothing, remove clothi	ng and wash		
FIDOT AID		contaminated skin. If irritation develops and			
FIRST AID		persists after washing, seek medical attention.			
PROCEDURES:		If respiratory symptoms develo	p (see Signs and		
	Inhaladi	Symptoms, Section 2), move victim away from			
	Inhaled:	source of exposure and into fresh air. If			
		symptoms persist, seek medical attention.			
		If exposed individual is conscious, immediately			
	Ingestion:	give water or milk. Do not induce vomiting. Seek			
	ingestion.	medical attention. If person is unconscious, do			
	not give anything by mouth.				
	If individual has been exposed to concentrated decomposition products (see				
NOTE TO PHYSICIAN:	Section 10), treat symptomatically and watch for delayed symptoms of				
	pulmonary edema.				
SECTION 5	FIRE FIGHTING MEASURES				
	Flash Point:	Not applicable			
FLAMMABLE	OSHA Flammability Class:	Not applicable			
PROPERTIES:	LEL/UEL:	LEL: Not explosible (at product concentration)			
THOI EITHEO.	LEL/OEL.	UEL: Not explosible (at product concentration)			
	Auto-Ignition Temperature:	Not applicable			
	Use extinguishing agent suitable for type of surrounding fire. Avoid use of				
EXTINGUISHING MEDIA:	excessive quantities of water to minimize runoff to environment (see Section 2).				
	Small fires: water spray, foam, dry chemical or CO ₂ – collect or direct water to				
WESIX.	containment				
	<u>Large fires</u> : water spray, fog or foam – collect or direct water to containment				
DDOTEOTICAL OF	Positive pressure, Self-Contained Breathing Apparatus (SCBA) is required for all				
PROTECTION OF	fire-fighting activities involving hazardous materials. Section 10 notes				
FIREFIGHTERS:	decomposition products that may evolve.				

MSDS #: MOS-100038.01



SECTION 6	ACCIDENT	AL RELEASE MEASURES	
RESPONSE TECHNIQUES:	Stay upwind and away from product spill that may generate a dust hazard. Wear appropriate protective equipment, including respiratory protection, as conditions warrant (see Section 8). Prevent spilled material from entering sewers, storm drains, other drainage systems, and natural waterways. Notify appropriate federal, state/provincial and local agencies as may be required (see Section 15.) Sweep up and package appropriately for use as intended or disposal; minimize dust generation during cleanup.		
RELEASE NOTES:	If spill could potentially enter any waterway, including intermittent dry creeks, contact the local authorities. If in the United States, contact the US COAST GUARD NATIONAL RESPONSE CENTER toll-free number 800-424-8802. In case of accident or road/rail spill notify: CHEMTREC in North America at 800-424-9300 and from other countries (collect) at 0-703-527-3887. (See Section 1)		
SECTION 7	HAND	LING AND STORAGE	
HANDLING:	The use of appropriate respir concentrations exceed any econtact with eyes, mouth, no handling. Wash contaminate practices. Avoid systems that would ter product. Avoid accumulation dust may present an explosion	ratory protection is advised when airborne established exposure limits (see Section 8). Avoid use, hands/skin, and clothing. Wash thoroughly after ad clothing or shoes. Use good personal hygiene and to segregate dust or any components of this of fugitive dust, as high concentrations of sulfur on hazard. Follow standard safe-work practices, as when working around this product.	
STORAGE:	Use and store this material in cool, dry, well-ventilated areas. Store only in approved containers. Keep container(s) tightly closed. Keep away from any incompatible material (see Section 10). Protect container(s) against physical damage. Material may absorb moisture from the air.		
SECTION 8		ROLS / PERSONAL PROTECTION	
ENGINEERING CONTROLS:	Use process enclosure, general dilution ventilation or local exhaust systems where necessary to maintain airborne dust concentration below the OSHA standards (see Section 8) or in accordance with applicable regulations.		
PERSONAL PROTECTIVE EQUIPMENT (PPE):	Eye/Face:	Approved eye/face protection to safeguard against potential eye contact, irritation or injury is advised. Eye protection that provides a seal to the skin around the eye is advised.	
	Skin:	The use of cloth or leather work gloves is advised to prevent skin contact and irritation.	
	Respiratory:	Use a dust mask or other appropriate respiratory protection where engineering controls are not feasible or during operations that generate airborne concentrations exceeding the relevant standards. A source of clean water should be available in	
	Other:	the work area for flushing eyes and skin.	
GENERAL HYGIENE CONSIDERATIONS:	Use in adequate ventilation. Wash thoroughly after handling.		

MSDS #: MOS-100038.01



EXPOSURE GUIDELINES:	OSHA Permissible Exposure Limits (PEL):	Particulates Not Otherwise Specified (nos): 5 mg/m³ TWA (respirable) 15 mg/m³ TWA (total) Ammonia: 50 ppm (35 mg/m³) TWA Fluorides, as F: 2.5 mg/m³ TWA	
	ACGIH Threshold Limit Value (TLV):	Particulates Not Otherwise Specified (nos): 3 mg/m³ TWA (respirable) 10 mg/m³ TWA (total) Ammonia: 25 ppm (18 mg/m³) TWA 35 ppm (27 mg/m³) STEL	
SECTION 9	PHYSICAL AND CHEMICAL PROPERTIES		
Note: Unless other	wise stated, values in this section are	determined at 20°C (68°F) and 760 mm Hg (1 atm).	
Flash Point:	Not applicable		
Flammability/ Explosive Limits (%):	LEL: Not explosive (at product concentration) UEL: Not explosive (at product concentration)		
Auto-Ignition Temperature:	Not applicable		
Appearance:	Grey, tan, brown, or black granules		
Physical State:	Solid		
Odor:	Slight ammonia odor		
pH:	4.2-5.0 in a 1% solution.		
Vapor Pressure (mm Hg):	Not applicable		
Vapor Density (air=1):	Not applicable		
Boiling Point:	Not applicable		
Freezing/Melting Point:	Decomposes at 374 °F (190 °C) before melting.		
Solubility in Water:	80% - 90% 328 g/L at 20℃		
Specific Gravity:	Not applicable		
Volatility:	Not applicable		
Bulk Density:	57 - 66 lbs./ft ³ (Packed); 54 – 62 lbs./ft ³ (Loose)		
SECTION 10	STABILITY AND REACTIVITY		
Chemical Stability:	Stable under normal conditions of storage and handling. Decomposes at 374 °F (190 °C).		
Conditions to Avoid:	Extreme temperatures		
Incompatible Materials:	Avoid contact with alkaline materials		
Hazardous Decomposition Products:	If heated to the point of decomposition, oxides of phosphorus, nitrogen and/or sulfur (e.g., SO ₂) may be released, as well may ammonia and fluoride vapor.		
Corrosiveness:	May be corrosive to iron and mild steels, aluminum, zinc, and copper.		
Hazardous Polymerization:	Will not occur.		

MSDS #: MOS-100038.01



SECTION 11	TOXICOLOGICAL INFORMATION
Acute Oral Toxicity	Monoammonium Phosphate – LD50(rat) >2000 mg/kg Ammonium Sulfate – LD50(rat) = 2000 to 4250 mg/kg, LD50(mouse) = 640 or 4,280 mg/kg
Acute Inhalation Toxicity	Data not available for mixture or components
Acute Dermal Toxicity	Data not available Monoammonium Phosphate – LD50(rat) >5000 mg/kg Ammonium Sulfate – LD50(rat and mouse) >2000 mg/kg
Mutagenesis	Data not available for mixture or major component
Target Organ	Data not available for mixture or major component
Developmental Toxicity	Data not available for mixture. The available data for components are inadequate.
Carcinogenicity	The ingredient(s) of this product is (are) not classified as carcinogenic by NTP (National Toxicology Program), IARC, or OSHA
SECTION 12	ECOLOGICAL INFORMATION
ECOTOXICOLOGY:	This product is a concentrated source of nutrients that have been indicated (see Section 2) to impact vegetation and aquatic systems. May release ammonium ions that are toxic to fish. Un-ionized ammonia concentrations above 0.02 mg/l are considered toxic (USA) in fresh water. May release phosphates which will result in algae growth, increased turbidity, and depleted oxygen. At extremely high concentrations, this may be hazardous to fish or other marine organisms. Release to watercourses may cause effects downstream.
SECTION 13	DISPOSAL CONSIDERATIONS
	It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities. Consult federal state/provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product.
SECTION 14	TRANSPORTATION INFO
Regulatory Status	Not regulated
Proper Shipping Name	Not applicable
Hazard Class	Not listed in the hazardous materials shipping regulations (49 CFR, Table 172.101) by the U.S. Department of Transportation, or in the Transport of Dangerous Goods (TDG) Regulations Canada.
Packing Group	Not applicable
Identification Number	HTS (Harmonized Tariff Schedule) Code 3105.40.0050
Guide Number	Not applicable

Status: Revised Issue Date: 12/22/2009
Section(s) Revised: All MSDS #: MOS-100038.01
Revision Date: 12/21/2012



SECTION 15	REGULATORY INFORMATION	
FDA:	Phosphate compounds are Generally Recognized As Safe (GRAS) by the U.S. Food and Drug Administration (21 CFR 582.1141; Bhat and Ramaswamy 1993) which allows them to be used as food and color additives.	
CERCLA:	Product is not listed with an RQ (reportable quantity)	
RCRA 261.33:	Discarded commercial chemical products, off-specification species, container residues, and spill residues thereof are not listed as hazardous waste	
SARA TITLE III: (Exemptions at 40 CFR, Part	SARA – 311/312: Solid; Immediate (acute): Yes (MAP); Chronic: No; Fire: No; Pressure: No; Reactivity: No	
370 may apply for agricultural use, or for quantities of less	SARA – 313: Listed (Zinc compounds)	
than 10,000 pounds on-site.)	SARA – 302/304: Zinc 1,000 lb RQ	
NTP, IARC, OSHA:	This material has not been identified as a carcinogen by NTP, IARC, or OSHA.	
Canada DSL and NDSL:	DSL: Yes NDSL: Not listed	
TSCA:	Components are listed or exempt from being listed on the TSCA inventory.	
CA Proposition 65: (Health & Safety Code Section 25249.5)	Warning: This product contains substances that are known to the State of California to cause cancer and/or reproductive harm.	
WHMIS:	Not controlled	
CBSA:	Canadian Border Services Agency-This product does not contain any bovine,	
ruminant or other animal by-products.		
SECTION 16	OTHER INFORMATION	
Disclaimer:	The information in this document is believed to be correct as of the date issued. Nothing herein contained shall be deemed to be a representation or warranty with respect to the product described herein. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE, AND ALL SUCH REPRESENTATIONS AND WARRANTIES ARE HEREBY EXPRESSLY DISCLAIMED BY MOSAIC. This information and product are furnished on the condition that the person receiving them shall make their own determination as to suitability of the product for their particular purpose and on the condition that they assume the risk of their use thereof. The conditions and use of this product are beyond the control of Mosaic, and Mosaic disclaims any liability for loss or damage incurred in connection with the use or misuse of this substance.	
Preparation:	The preparation of this MSDS was in accordance with ANSI Z400.1-2010.	
References:	FCI Chemical Engineers Fertilizer Technical Data Book, 1994	
Note to (if applicable):	Not applicable	

Status: Revised Issue Date: 12/22/2009 Section(s) Revised: All MSDS #: MOS-100038.01

Revision Date: 12/21/2012