

# SAFETY DATA SHEET

## 1. Identification

Product identifier	NuBOR 10
Other means of identification	
SDS number	102500
Product code	102500, 102501, 102503
Recommended use	Soil additive, micronutrient.
<b>Recommended restrictions</b>	None known.
Manufacturer/Importer/Supplier/	Distributor information
Manufacturer/Supplier	Advanced Micronutrient Products, Inc.
Address	2405 W. Vassar Road (M-15) Reese, MI. 48757
Contact person	Product Stewardship
Emergency	Chemtrec Ph # 800-424-9300 CCN 724829
Email	info@ampmicros.com

### 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
OSHA defined hazards	Not classified.	

**OSHA** defined hazards

Label elements

Signal word	Danger
Hazard statement	Causes serious eye damage. Causes skin irritation.
Precautionary statement	
Prevention	Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.

### 3. Composition/information on ingredients

Mixtures		
Chemical name	CAS number	%
Ulexite	1319-33-1	40-60
Magnesium oxide	1309-48-4	10-30
Calcium oxide	1305-78-8	10-15
Calcium sulfate	7778-18-9	7-13

Urea	57-	-13-6	3-5
Colemanite	1229	1-65-5	1-3
4. First-aid measures			
Inhalation	If symptomatic, move to fresh air. Get medical attention if sy	mptoms persist.	
Skin contact	Immediately flush with plenty of water for at least 15 minute and shoes. Get medical attention. Wash contaminated cloth		ntaminated clo
Eye contact	Immediately flush with plenty of water for at least 15 minute Get medical attention immediately.	s. If easy to do, rem	ove contact le
Ingestion	Seek medical advice.		
Most important symptoms/effects, acute and delayed	Causes serious eye damage. Causes skin irritation.		
Indication of immediate medical attention and special treatment needed	Symptoms may be delayed.		
General information	Ensure that medical personnel are aware of the material(s) protect themselves.	involved, and take p	precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Extinguish with foam, carbon dioxide, dry powder or water for	og.	
Unsuitable extinguishing media	None known.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothi	ng must be worn in	case of fire.
Fire fighting equipment/instructions	Cool containers exposed to heat with water spray and remo	ve container, if no ri	sk is involved.
Specific methods	Keep unnecessary personnel away.		
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Wear appropriate personal protective equipment (See Secti	on 8).	
Methods and materials for containment and cleaning up	Sweep up or vacuum up spillage and collect in suitable cont	tainer for disposal.	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Avoid re	lease to the environ	ment.
7. Handling and storage			
Precautions for safe handling	Do not get in eyes, on skin, on clothing. Wear appropriate p	ersonal protective e	quipment. Alw

Conditions for safe storage, including any incompatibilities
Conditions for safe storage, including any incompatibilities
Do not get in cycs, on skin, on clothing. Weat appropriate personal protective equipment reasures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
Store in tightly closed original container in a dry, cool and well-ventilated place. Store away from incompatibilities
Store in tightly closed original container in a dry, cool and well-ventilated place. Store away from incompatibilities

#### 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Calcium oxide (CAS 1305-78-8)	PEL	5 mg/m3	
Calcium sulfate (CAS 7778-18-9)	PEL	5 mg/m3	Respirable fraction.
)		15 mg/m3	Total dust.
MP NuBOR 10			SDS US

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Magnesium oxide (CAS 1309-48-4)	PEL	15 mg/m3	Total particulate.
US. ACGIH Threshold Lim	it Values		
Components	Туре	Value	Form
Calcium oxide (CAS 1305-78-8)	TWA	2 mg/m3	
Calcium sulfate (CAS 7778-18-9)	TWA	10 mg/m3	Inhalable fraction.
Magnesium oxide (CAS 1309-48-4)	TWA	10 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
Calcium oxide (CAS 1305-78-8)	TWA	2 mg/m3	
Calcium sulfate (CAS 7778-18-9)	TWA	5 mg/m3	Respirable.
1116-10-5)		10 mg/m3	Total
US. Workplace Environme	ental Exposure Level (WEEL) Guides		
Components	Туре	Value	Form
-		Value 10 mg/m3	Form Total particulate.
Components	Туре	10 mg/m3	-
Components Urea (CAS 57-13-6)	Type TWA	10 mg/m3	-
Components Urea (CAS 57-13-6) logical limit values propriate engineering ttrols	<b>Type</b> TWA No biological exposure limits noted for	10 mg/m3 or the ingredient(s).	-
Components Urea (CAS 57-13-6) logical limit values propriate engineering ttrols	Type TWA No biological exposure limits noted fo Provide adequate ventilation.	10 mg/m3 or the ingredient(s). ent	-
Components Urea (CAS 57-13-6) logical limit values propriate engineering trols	Type TWA No biological exposure limits noted fo Provide adequate ventilation. s, such as personal protective equipm	10 mg/m3 or the ingredient(s). ent	-
Components Urea (CAS 57-13-6) logical limit values propriate engineering trols ividual protection measure Eye/face protection	Type TWA No biological exposure limits noted fo Provide adequate ventilation. s, such as personal protective equipm	10 mg/m3 or the ingredient(s). ent s (or goggles).	-
Components Urea (CAS 57-13-6) logical limit values propriate engineering trols vidual protection measure Eye/face protection Skin protection	Type TWA No biological exposure limits noted fo Provide adequate ventilation. s, such as personal protective equipm Wear safety glasses with side shields	10 mg/m3 or the ingredient(s). ent s (or goggles). mended. wear and protective clothing ap	Total particulate.
Components Urea (CAS 57-13-6) logical limit values propriate engineering trols ividual protection measure Eye/face protection Skin protection Hand protection	Type TWA No biological exposure limits noted fo Provide adequate ventilation. s, such as personal protective equipm Wear safety glasses with side shields Chemical resistant gloves are recom Wear chemical-resistant gloves, foot	10 mg/m3 or the ingredient(s). ent s (or goggles). mended. wear and protective clothing ap manufacturer for specific inforr in airborne concentrations belo eptable level (in countries whe irator must be worn. In the Uni IId be instituted to assure comp ng respirator with an appropria	Total particulate. ppropriate for risk of exposure mation. w recommended exposure re exposure limits have not ted States of America, if bliance with OSHA 29 CFR
Components Urea (CAS 57-13-6) logical limit values propriate engineering strols ividual protection measure Eye/face protection Skin protection Hand protection Other	Type TWA No biological exposure limits noted for Provide adequate ventilation. s, such as personal protective equipm Wear safety glasses with side shields Chemical resistant gloves are recom Wear chemical-resistant gloves, foot Contact chemical protective clothing If engineering controls do not mainta limits (where applicable) or to an acc been established), an approved resp respirators are used, a program shou 1910.134. Respirator type: Air-purifyi	10 mg/m3 or the ingredient(s). ent s (or goggles). mended. wear and protective clothing ap manufacturer for specific inforr in airborne concentrations belo eptable level (in countries whe irator must be worn. In the Uni IId be instituted to assure comp ng respirator with an appropria	Total particulate. ppropriate for risk of exposure mation. w recommended exposure re exposure limits have not ted States of America, if bliance with OSHA 29 CFR

## 9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Granular.
Color	Gray.
Odor	Odorless.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.

Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Non flammable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Particle size	2 - 3 mm

## 10. Stability and reactivity

Reactivity	The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Humidity. Contact with incompatible materials.
Incompatible materials	Strong oxidizing substances.
Hazardous decomposition products	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye damage.
Ingestion	May cause discomfort if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Causes serious eye damage. Causes skin irritation.
Information on toxicological effe	cts
Acute toxicity	Causes serious eye damage.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye damage.
Respiratory or skin sensitization	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	Not a skin sensitizer.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
OSHA Specifically Regulated Not listed.	l Substances (29 CFR 1910.1001-1050)

Reproductive toxicity	Not classified.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not classified.
12. Ecological information	
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	None known.
Bioaccumulative potential	
<b>Partition coefficient n-octan</b> Urea (CAS 57-13-6)	ol / water (log Kow) -2.11
Mobility in soil	This product is water soluble and may disperse in soil.
Mobility in general	The product is water soluble and may spread in water systems.
Other adverse effects	Not available.
13. Disposal consideration	IS
Disposal instructions	Since emptied containers may retain product residue, follow label warnings even after container is emptied. The generation of waste should be avoided or minimized whenever possible. When practical, recycle in an environmentally acceptable, regulatory compliant manner. Dispose of non-recyclable products in accordance with all applicable Federal, State, Provincial, and Local requirements.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Recover and recycle, if practical. Dispose in accordance with all applicable regulations.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

This product is hazardous according to OSHA 29 CFR 1910.1200.

#### 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

## Transport in bulk according to Not available. Annex II of MARPOL 73/78 and the IBC Code

#### 15. Regulatory information

#### **US** federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed. CERCLA Hazardous Substance List (40 CFR 302.4) Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
-------------------

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

# SARA 311/312 Hazardous Yes chemical

## SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

#### **US state regulations**

#### **US. Massachusetts RTK - Substance List**

Calcium oxide (CAS 1305-78-8) Calcium sulfate (CAS 7778-18-9) Magnesium oxide (CAS 1309-48-4)

#### US. New Jersey Worker and Community Right-to-Know Act

Calcium oxide (CAS 1305-78-8) Calcium sulfate (CAS 7778-18-9) Magnesium oxide (CAS 1309-48-4)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Calcium oxide (CAS 1305-78-8) Calcium sulfate (CAS 7778-18-9) Magnesium oxide (CAS 1309-48-4)

#### US. Rhode Island RTK

Not regulated.

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other information, including date of preparation or last revision

Issue date	21-May-2015
Revision date	-
Version #	01
HMIS® ratings	Health: 3 Flammability: 1 Physical hazard: 0



References	Registry of Toxic Effects of Chemical Substances (RTECS) HSDB® - Hazardous Substances Data Bank IARC: International Agency for Research on Cancer. National Toxicology Program (NTP) Report on Carcinogens
Disclaimer	The information and recommendations contained in this Safety Data Sheet relate only to the specific material referred to herein (the "Material") and does not relate to the use of such Material in combination with any other material or process. The information and recommendations contained herein are believed to be current and correct as of the date prepared. However, the information and recommendations are presented without warranty, representation or license of any kind, express or implied, with respect to its accuracy, correctness or completeness, and the seller, supplier and manufacturer of the Material and their respective affiliates disclaim all liability for reliance on such information and recommendations. This Data Sheet is not a guarantee of safety. A buyer or user of the Material (a "Recipient") is responsible for ensuring that it has all current information necessary to safely use the Material for its specific purpose. Furthermore, the Recipient assumes all risk in connection with the use of the Material. The Recipient assumes all responsibility for ensuring the Material is used in a safe manner in compliance with applicable environmental, health, safety and security laws, policies and guidelines. The Supplier does not warrant the merchantability of the Material or the fitness of the Material for any particular use and assumes no responsibility for injury or damage caused directly or indirectly by or related to the use of the Material.