Magruder 231141 12-40-0 MAP + Zn

results due December 15, 2023

Guaranteed Analysis

Total Nitrogen (N)	12 %
12 % Ammoniacal Nitrogen (N)	
Available Phosphate (P2O5)	40 %
Total Sulfur (S)	10 %
10% Sulfate Sulfur	
Zinc (Zn)	1 %

Derived from: Monoammonium Phosphate, Ammonium Sulfate, Sulfur, Zinc compounds

Also analyze for:

As (ppm), Cd (ppm), Cr (ppm), Co (ppm), Pb (ppm), Hg (ppm), Mo (ppm), Ni (ppm), Se (ppm), Cu (%)

The units above are those required for reporting data from this Magruder sample. They may not be the units required on a commercial fertilizer label.

Note: This Magruder Check Sample material is not to be used in the manufacture of products nor applied to any crops or for other fertilizer uses. It is intended for analytical testing purposes only.

SDS for this product can be found at: http://www.magruderchecksample.org/SDS/231411GuarSDS.pdf

SDS for Magruder 231141

SECTION 1	PRODUCT AND COMPANY IDENTIFICATION		
Trade Name:			
Chemical Name:	Monoammonium Phosphate with Ammonium Sulfate and Sulfur and Zinc		
CAS Number:	7722-76-1		
Chemical Family:	Ammonium Phosphates—Inorganic Salts		
Synonyms:	Monoammonium Phosphate + Sulfur and Zinc Monobasic Ammonium Phosphate + Sulfur and Zinc Ammonium Dihydrogen Phosphate + Sulfur and Zinc MAP + S + Z Ammonium Dihydrogen Orthophosphate MESZ® MES®		
Primary Use:	Crop nutrient		
Company Information:	The Mosaic Company 101 East Kennedy Blvd, Ste 2500 Tampa, FL 33602 www.mosaicco.com (800) 918-8270 or (813) 775-4200 8 AM to 5 PM Eastern Time USA		
Emergency Telephone:	EMERGENCY OVERVIEW 24 Hour Emergency Telephone Number: For Chemical Emergencies: Spill, Leak, Fire or Accident Call CHEMTREC North America: (800) 424-9300 (reference CCN201871) Others: (703) 527-3887 (collect)		

SECTION 2	HAZARD IDENTIFICATION		
GHS Classification:	Acute Toxicity Oral Category 5 Hazard Skin Irritant Category 2 Hazard Eye Irritant Category 2B Hazard STOT SE Category 3 Hazard Statement	Statement H303 Statement H315 Statement H320 H335	
	Signal Word: WARNING Hazard Statement(s) H303: May be harmful if swallowed H315: Causes skin irritation H320: Causes eye irritation H335: May cause respiratory irritation		
Label Elements:			

Status: Revised Section(s) Revised: 1

Revision Date: March 24, 2020

Page **1** of **8** Issue Date: 06/01/2015

Prevention:	P264: Wash hands thoroughly after handling.
	P280: Wear protective gloves
	P261: Avoid breathing dust
	P271: Use only outdoors or in a well-ventilated area.

	P302+ P352	IF ON SKIN: Wash with plenty of water.	
Dannaman	P321 Specific Treatment, see supplemental first aid information.		
Response:	P332+ P313	If skin irritation occurs: Get medical advice/attention.	
	P362+ P364 Take off contaminated clothing and wash it before reused.		
	P305+P351+ P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
	P337+ P313	If eye irritation persists: Get medical advice/attention.	
	P304+ P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
	P312	Call a POISON CENTER.	
Storage:	Not applicable	Not applicable	
Disposal:	P501	Disposal of content/containers to be in accordance with local/regional/national regulations.	

SECTION 3	COMPOSITION INFORMATION ON INGREDIENTS					
Formula:	Proprietary					
Composition:	Monobasic Ammonium Phosphate Ammonium Sulfate Sulfur Zinc Compounds (Proprietary)	CAS 7722-76-1 CAS 7783-20-2 CAS 7704-34-9 Proprietary	75-78% 12-15% 4-6% 1.2-2.0%	Eye Irri	itant Catego tant Catego SE 3 (Lungs	ry 2B

SECTION 4	FIRST AID MEASURES		
	Eyes:	Move victim away from exposure and into fresh air. Flush eyes with plenty of clean water for at least 15 minutes. If symptoms persist, seek medical attention.	
First Aid Procedures:	Skin:	Wash contaminated area thoroughly with mild soap and water. If chemical or solution soaks through clothing, remove clothing and wash contaminated skin. If irritation develops and persists after washing, seek medical attention.	
	Inhaled:	If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, seek medical attention.	
	Ingestion:	If large amounts are swallowed, seek emergency medical attention. If possible, do not leave victim unattended and observe closely for adequacy of breathing.	
Note to Physician:	If person has been exposed to concentrated decomposition products, treat symptomatically and watch for delayed symptoms of pulmonary edema.		

SECTION 5	FIRE FIGHTING MEASURES		
Extinguishing Media:	Use extinguishing agent suitable for type of surrounding fire. Avoid excessive water to minimize runoff. Prevent firefighter water from entering the environment. Small fires: Water spray, foam, dry chemical or CO ₂ Large fires: Water spray, fog or foam		
Protection of Firefighters:	Positive pressure, self-contained breathing apparatus is required for all firefighting activities involving hazardous materials.		

SECTION 6	ACCIDENTAL RELEASE MEASURES		
Response Techniques:	Stay upwind and away from spill (dust hazard). Wear appropriate protective equipment, including respiratory protection, as conditions warrant (see Section 8). Prevent spilled material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural waterways. Notify appropriate federal, state, and local agencies as may be required (see Section 15). Minimize dust generation. Sweep up and package appropriately for disposal.		

SECTION 7	HANDLING AND STORAGE		
	The use of appropriate respiratory protection is advised when concentrations exceed any established exposure limits (see Section 8). Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Wash contaminated clothing or shoes. Use good personal hygiene practices.		
Handling:			
	Avoid systems that would tend to segregate dust or any components of this product. Avoid accumulation of fugitive dust, as high concentrations of sulfur dust may present an explosion hazard. Follow standard safe-work practices, including hot-work procedures when working around this product.		
Storage:	Use and store this material in dry, well-ventilated areas. Store only in approved containers. Keep container(s) tightly closed. Keep away from any incompatible material (see Section 10). Protect container(s) against physical damage. Material may absorb moisture from the air.		

SECTION 8	EXPOSURE CONTROLS / PERSONAL PROTECTION		
Engineering Controls:	Use process enclosure, general dilution ventilation or local exhaust systems where necessary to maintain airborne dust concentration below the OSHA standards or in accordance with applicable regulations.		
Personal	Eye/Face:	Approved eye protection to safeguard against potential eye contact, irritation, or injury is recommended.	
Protective Equipment (PPE):	Skin:	The use of cloth or leather work gloves is advised to prevent skin contact, possible irritation and absorption.	

	Respiratory:	A NIOSH approved air purifying respirator with a type 95 (R or P) particulate filter may be used under conditions where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited (see manufacturer's respirator selection guide). Use a positive pressure air supplied respirator if there is potential for uncontrolled release, exposure levels are not known or any other circumstances where air purifying respirators may not provide adequate protection. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed if workplace conditions warrant a respirator.	
	Other:	A source of clean water flushing eyes and skir	er should be available in the work area for n.
General Hygiene Considerations:	Wash thoroughly after handling Use adequate ventilation		
	OSHA Permissible Exposure Limits (PEL): ACGIH Threshold Limit Value (TLV):		Particulates Not Otherwise Regulated: 5 mg/m³ TWA (respirable); 15 mg/m³ TWA (total) Ammonia: 50 ppm (35 mg/m³) TWA Sulfur: No Occupational Limits Zinc: 5 mg/m³ (respirable dust); 15 mg/m³ (total dust)
Exposure Guidelines:			Particulates Not Otherwise Specified: 3 mg/m³ TWA (respirable); 10 mg/m³ TWA (inhalable) Ammonia: 25 ppm (18 mg/m³) TWA; 35 ppm (27 mg/m³) STEL Sulfur: No Occupational Limits Zinc Oxide: 2 mg/m³ (respirable); 10 mg/m³ (respirable)

SECTION 9	PHYSICAL AND CHEMICAL PROPERTIES			
Note: Unless otherwise state	d, values in this section are determine	d at 20°C (68°F) and 760 mm I	Hg (1 atm).	
Appearance:	Gray, tan, or brown granules	Vapor Pressure (mm Hg):	Not applicable	
Odor:	Rotten egg-like or Slight ammonia odor	Vapor Density (air=1):	Not applicable	
Odor Threshold:	No data available	Specific Gravity or Relative Density:	Not applicable	
Physical state:	Solid	Bulk Density:	Loose 55 - 64 lbs/ft ³ (895 - 1025 kg/m ³)	
pH:	4.2 – 5.5 in a 1 w/v %	Solubility in Water:	75% - 85% 300 g/L at 20°C	
Melting Point/ Freezing Point:	Partial at 235°F (113°C) Partition coefficient: No data available		No data available	
Boiling Point:	Not applicable	Auto-Ignition Temperature:	Not applicable	
Flash Point:	Not applicable	Decomposition Temperature:	374°F (190°C)	

Evaporation Rate:	No data available	Viscosity:	No data available
Flammability:	Not applicable	Volatility:	Not applicable
Upper/Lower Flammability or explosive limits	Not applicable		

SECTION 10	STABILITY AND REACTIVITY		
Chemical Stability:	Stable under normal conditions of storage and handling. Decomposes at 374°F (190°C).		
Conditions to Avoid:	Extreme temperatures, accumulation of dust.		
Incompatible Materials:	Avoid contact with alkaline materials		
Hazardous Decomposition Products:	If heated to the point of decomposition, oxides of phosphorus, nitrogen and/or sulfur (e.g., SO2) may be released, as well as ammonia vapor.		
Corrosiveness:	May be corrosive to iron and mild steels, aluminum, zinc and copper		
Hazardous Polymerization:	Will not occur		

SECTION 11	TOXICOLOGICAL INFORMATION		
Substance:	Monoammonium Phosphate		
Acute Oral Toxicity:	LD ₅₀ (rat, oral) > 2000 mg/kg		
Acute Inhalation Toxicity:	No data available		
Acute Dermal Toxicity:	LD ₅₀ (rat, dermal) > 5000 mg/kg		
Substance:	Ammonium Sulfate		
Acute Oral Toxicity:	LD ₅₀ (rat, oral) > 2000 to 4250 mg/kg LD ₅₀ (mouse, oral) > 640 to 4250 mg/kg		
Acute Inhalation Toxicity:	No data available		
Acute Dermal Toxicity:	LD ₅₀ (rat, mouse, dermal) > 2000 mg/kg		
Substance:	Sulfur		
Acute Oral Toxicity:	LD ₅₀ (rat, oral) > 5000 mg/kg		
Acute Inhalation Toxicity:	No data available		
Acute Dermal Toxicity:	LD ₅₀ (rat, dermal) > 2000 mg/kg		
Substance:	Zinc Compounds		
Acute Oral Toxicity:	LD ₅₀ (mouse/rat, oral) 186 - 623 mg/kg		
Acute Inhalation Toxicity:	No data available		
Acute Dermal Toxicity:	No data available		

Mutagenesis:	No data available	Target Organ	STOT SE Cat 3; may cause respiratory irritation.
Developmental Toxicity:	No data available	Carcinogenicity	The ingredients of this product are not classified as carcinogenic by NTP (National Toxicology Program), IARC, or OSHA

SECTION 12	ECOLOGICAL INFORMATION		
	Ammonium sulphate (CAS 7783-20-2) Aquatic Algae EC ₅₀ Chlorella vulgaris 2700 mg/l, 18 days Crustacea EC ₅₀ Water flea (Daphnia magna) > 100 mg/l, 96 hours Fish LC ₅₀ Salmo gairdneri 173 mg/l, 96 hours		
Ecotoxicology:	Sulfur (CAS 7704-34-9) Aquatic Fish LC ₅₀ Western mosquitofish (Gambusia affinis) > 10000 mg/l, 96 hours Crustacea LC ₅₀ Water flea (Daphnia magna) 0.098 mg/l, 48 Hours		
G,	Zinc Compounds Aquatic (very toxic to aquatic organisms) Ceriodaphnia dubia EC ₅₀ 0.413 mg/l, 48 hours Selenastrum capricornutum LC ₅₀ 0.136 mg/l, 72 hours		
	May release ammonium ions that are toxic to fish. Un-ionized ammonia concentrations above 0.02 mg/l are considered toxic in fresh water. May release phosphates which will result in algae growth, increased turbidity, and depleted oxygen. At high concentrations, this may be hazardous to fish or other marine organisms. Release to watercourses may cause effects downstream. Fish 96 hour LC ₅₀ , OECD Guidelines 203 (rainbow trout): > 86 mg/l.		

SECTION 13	DISPOSAL CONSIDERATIONS	
	Recover or recycle if possible. Properly characterize all waste materials. Consult federal, state/provincial and local regulations regarding the proper disposal of this material. Prevent material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural waterways.	

SECTION 14	TRANSPORT INFO
Regulatory Status:	Not regulated
Identification Number:	HTS 3105.59.0000

Hazard Class:		Not applicable	
Proper Shipping Name		Not applicable	
Packing Group		Not applicable	
SECTION 15 REGULATORY IN		IFORMATION	
CERCLA:	Listed (Zinc compounds) 1000 lbs RQ; 454 kg RQ		
DOT Emergency Response Guide Number:		Not applicable	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:		Not applicable	
MARPOL Annex V:		Non-HME	
IMO/IMDG:		Not applicable	

RCRA 261.33:	Not listed					
	Section 302/304: Listed (Zinc compounds)		RQ: 1000 lbs (Zinc compounds)		TPQ: No	
SARA Title III: (Exemptions at 40 CFR, Part 370 may apply for	Section 311/312:					
agricultural use, or for quantities of less than 10,000 pounds on-site.)	Acute: Yes Chronic: No Fire: No Pressure: No Reactivity: N				Reactivity: No	
,	Section 313: Listed (Zinc compounds)					
NTP, IARC, OSHA:	This material has not been identified as a carcinogen by NTP, IARC, or OSHA.					
Canada DSL and NDSL:	DSL: Yes NDSL: Not listed					
TSCA:	Listed on the TSCA Inventory					
CA Proposition 65: (Health & Safety Code Section 25249.5)	WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov					
WHMIS:	WHMIS 2015 This SDS has been prepared according to the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all of the information required by the HPR.					

SECTION 16	OTHER INFORMATION		
Disclaimer:	The information in this document is believed to be correct as of the date issued. HOWEVER, MOSAIC MAKES NO GUARANTEE, REPRESENTATION, OR WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO THE USE OF THIS PRODUCT. User is responsible for determining whether this product is fit for a particular purpose and suitable for user's method of use or application and assumes the risk of use thereof. The conditions and use of this product are beyond the control of Mosaic, and Mosaic disclaims any liability for loss or damage incurred in connection with the use or misuse of this product. Each user should review the recommended industrial hygiene and safe handling procedures in the specific context of the intended use and determine whether they are appropriate.		
Preparation:	The preparation of this SDS was in accordance with ANSI Z400.1-2010.		
Revision Date:	March 24, 2020		
Sections Revised:	1		
SDS Number:	MOS 100038		
References:	Globally Harmonized System of Classification and Labelling of Chemicals (GHS) – 4 th Edition 2011 OSHA Hazard Communication Standard, 2012 MARPOL Annex V; The Fertilizer Institute (TFI), 2003; TOXNET NFPA HAZARD CLASS HMIS HAZARD CLASS		
	Health: 2 Health: 2		
	Flammability: 0 Flammability: 0 Instability: 0 Physical 0		
	Special Hazard: None PPE: Section 8		
Other Hazard Classifications:	WHMIS 2015 (HPR) HAZARD CLASS Signal Word Warning		
	Symbol		
	Acute Toxicity Oral Category 5 Skin Irritant Category 2 Eye Irritant Category 2B STOT SE Category 3		
	H303: May be harmful if swallowed H315: Causes skin irritation H320: Causes eye irritation H335: May cause respiratory irritation		