

Magruder 240811 NPK 21-7-14 w/S

results due September 15, 2024

Guaranteed Analysis

Total Nitrogen (N)	21.0 %
11.1 % Ammoniacal Nitrogen	
9.9 % Nitrate Nitrogen	
Available Phosphate (P ₂ O ₅)	7.0 %
Soluble Potassium (K ₂ O)	14.0 %
Sulfur (S)	5.1 %
5.1 % Combined Sulfur	

Derived from: Ammonium Nitrate, Monoammonium Phosphate, Diammonium Phosphate, Calcium Phosphate, and Potassium Sulfate

Also analyze for:

As (ppm), Cd (ppm), Cr (ppm), Co (ppm), Pb (ppm),
Hg (ppm), Mo (ppm), Ni (ppm), Se (ppm), Cu (%) and Zn (%)

The units above are those required for reporting data from this Magruder sample. They may not be the units required on a commercial fertilizer label.

Note: This Magruder Check Sample material is not to be used in the manufacture of products nor applied to any crops or for other fertilizer uses. It is intended for analytical testing purposes only.

SDS for this product can be found at:


<http://www.magruderchecksample.org/SDS/240811GuarSDS.pdf>

SDS For Magruder 240811

Section 1. Identification

GHS product identifier	:	Turf Royale 21-7-14
Product type	:	Solid (prills)
Product code	:	PH981P
Uses		
Area of application	:	Industrial applications, Professional applications
Supplier		
Supplier's details	:	Yara North America, Inc.
Address		
Street	:	100 North Tampa Street, Suite 3200
Postal code	:	33602
City	:	TAMPA
Country	:	United States
Telephone number	:	+1 813 222 5700
Fax no.	:	+1 813 875 5735
e-mail address of person responsible for this SDS	:	yna-hesq@yara.com
Emergency telephone number (with hours of operation)	:	US: Chemtrec 24-hours Emergency Response: 1-800-424-9300 Canada: 24 Hour Emergency Service, CHEMTREC 1-800-424-9300
National advisory body/Poison Center		
Name	:	The National Poisons Emergency number
Telephone number	:	1 800 222 1222

Section 2. Hazards identification

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture.	:	EYE IRRITATION - Category 2A
GHS label elements		
Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H319 Causes serious eye irritation.
Precautionary statements		
Prevention	:	P280-a Wear eye protection. P264-a Wash hands thoroughly after handling.
Response	:	P305 IF IN EYES:

- P351 Rinse cautiously with water for several minutes.
- P338 Remove contact lenses, if present and easy to do. Continue rinsing.
- P337 If eye irritation persists:
- P313 Get medical attention.

Hazards not otherwise classified : None known.

Additional information : Product forms slippery surface when combined with water.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	%	CAS number
Ammonium nitrate	>= 45 - <= 50	6484-52-2
Nitric acid potassium salt	>= 7 - <= 10	7757-79-1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

- Eye contact** : Rinse with plenty of running water. Check for and remove any contact lenses. If irritation persists, get medical attention.
- Inhalation** : If inhaled, remove to fresh air. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin contact** : Wash with soap and water. Get medical attention if irritation develops.
- Ingestion** : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.

Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : Irritating to mouth, throat and stomach.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following: pain or irritation, watering, redness
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use flooding quantities of water for extinction.
- Unsuitable extinguishing media** : Do NOT use chemical extinguisher or foam or attempt to smother the fire with steam or sand.
- Specific hazards arising from the chemical** : The product itself is not combustible but it can support combustion, even in absence of air. On heating it melts and further heating can cause decomposition, releasing toxic fumes containing nitrogen oxides and ammonia.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials: nitrogen oxides, sulfur oxides, phosphorus oxides, halogenated compounds, metal oxide/oxides, ammonia, Avoid breathing dusts, vapors or fumes from burning materials., In case of inhalation of decomposition products in a fire, symptoms may be delayed.
- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
- Remark** : Non-flammable.
- Remark** : Non-explosive.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Not for human or animal consumption.

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep away from: organic materials, oil and grease.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Ammonium nitrate	None.
Nitric acid potassium salt	None.

Biological exposure indices

No exposure indices known.

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of

environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : A washing facility or water for eye and skin cleaning purposes should be present. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
Recommended: Tightly-fitting goggles, Europe., CEN: EN166,

Skin protection

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. For general applications, we recommend gloves with a thickness typically greater than 0.35 mm. It should be emphasized that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : In case of inadequate ventilation wear respiratory protection.

Personal protective equipment (Pictograms) :



Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

- Physical state** : Solid [prills]
Color : Gray.,
Odor : Odorless.
pH : 4 - 7 [Conc.: 100 g/l]

Melting point/freezing point : 155 °C (311 °F)

Boiling point, initial boiling point, and boiling range : Not applicable.

Flash point : Not applicable.

Flammability : Non-flammable.

Lower and upper explosion limit/flammability limit : **Lower:** Not applicable.
Upper: Not applicable.

- Vapor pressure** : Not applicable.
Relative vapor density : Not applicable.
Bulk density : 1,000 - 1,100 kg/m³
Solubility(ies) : Soluble in the following materials:
cold water
Solubility in water : > 80 g/l
Partition coefficient: n-octanol/water : Not applicable.
Auto-ignition temperature : Not applicable.
Decomposition temperature : Not applicable.
Viscosity : **Kinematic:** Not applicable.
Explosive properties : Non-explosive.
Oxidizing properties : Non-oxidizer.
UN Manual of Tests and Criteria, Section 39.

Particle characteristics

- Median particle size** : 3 mm

Section 10. Stability and reactivity

- Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
Chemical stability : The product is stable.
Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid : Avoid contamination by any source including metals, dust and organic materials.
Incompatible materials : alkalis, combustible materials, reducing materials, organic materials, Acids
Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Method	Species	Result	Exposure
Ammonium nitrate				
	OECD 401 LD50 Oral	Rat	2,950 mg/kg	Not applicable.
	OECD 402 LD50 Dermal	Rat	> 5,000 mg/kg	Not applicable.
Nitric acid potassium salt				
	LD50 Oral	Rat	2,000 mg/kg	Not applicable.
	LD50 Dermal	Rat	> 5,000 mg/kg	Not applicable.

Conclusion/Summary : No known significant effects or critical hazards.

Irritation/Corrosion

Product/ingredient name	Method	Species	Result	Exposure
Ammonium nitrate				
	OECD 405 Eyes	Rabbit	Irritant	
Nitric acid potassium salt				
	OECD 404 Skin	Rabbit	Non-irritating.	

Conclusion/Summary

Skin : No known significant effects or critical hazards.

Eyes : Causes serious eye irritation.

Respiratory : No known significant effects or critical hazards.

Sensitization

Product/ingredient name	Method	Species	Result
Ammonium nitrate			
	OECD 429 Skin	Mouse	Not sensitizing

Conclusion/Summary

Skin : No known significant effects or critical hazards.

Respiratory : No known significant effects or critical hazards.

Mutagenicity

Product/ingredient name	Method	Test detail	Result
Ammonium nitrate			
	OECD 473	Mammalian Toxicity - Genotoxicity - In vitro Mammalian Chromosome Aberration Test or Mammalian Bone Marrow Chromosomal Abberation Test or Mammalian Erythrocyte Micronucleus Test Experiment: In vitro	Negative
	OECD 471	Bacteria Experiment: In vitro	Negative

Conclusion/Summary : No known significant effects or critical hazards.

Carcinogenicity

Classification

Product/ingredient name	OSHA	IARC	NTP
Nitric acid potassium salt	Not applicable.	2A	Not applicable.

Conclusion/Summary : No known significant effects or critical hazards.

Reproductive toxicity

Product/ingredient name	Method	Species	Result	Exposure
Ammonium nitrate	OECD 422 Oral	Rat	Fertility effects- Negative Developmental- Negative NOAEL > 1500 mg/kg bw/day	28 days

Conclusion/Summary : No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

No known significant effects or critical hazards.

Specific target organ toxicity (repeated exposure)

No known significant effects or critical hazards.

Aspiration hazard

No known significant effects or critical hazards.

Information on the likely routes of exposure : Not available.

Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : Irritating to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following: pain or irritation, watering, redness
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Long term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Potential chronic health effects

Product/ingredient name	Method	Species	Result	Exposure
Ammonium nitrate	OECD 422 Chronic NOAEL Oral	Rat	256 mg/kg	28 days
	OECD 412 Sub-acute NOEC Inhalation	Rat	> 185 mg/m ³	2 weeks 5 hours per day

- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Reproductive toxicity** : No known significant effects or critical hazards.
- Effects on or via lactation** : No known significant effects or critical hazards.
- Other effects** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following: pain or irritation, watering, redness
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
Turf Royale 21-7-14	4022.6 mg/kg	N/A	N/A	N/A	N/A
Ammonium nitrate	2950 mg/kg	N/A	N/A	N/A	N/A
Nitric acid potassium salt	2500 mg/kg	N/A	N/A	N/A	N/A

Section 12. Ecological information

Toxicity

Product/ingredient name	Method	Species	Result	Exposure
Ammonium nitrate				
	Acute LC50 Fresh water	Fish	447 mg/l	48 h
	Acute EC50 Fresh water	Daphnia	490 mg/l	48 h
	Acute EC50 Salt water	Algae	1,700 mg/l	10 d
Nitric acid potassium salt				
	OECD 203 Acute LC50 Fresh water	Fish	> 100 mg/l	96 h
	Acute EC50 Fresh water	Daphnia	490 mg/l	48 h
	Acute EC50 Marine water	Algae	> 1,700 mg/l	240 h

- Conclusion/Summary** : No known significant effects or critical hazards.

Persistence and degradability

- Conclusion/Summary** : No known significant effects or critical hazards.

Bioaccumulative potential

- Conclusion/Summary** : No known significant effects or critical hazards.

Mobility in soil

- Soil/water partition coefficient (KOC) : Not available.
- Mobility : Not available.
- Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Product

- Methods of disposal : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	Not applicable.	Not applicable.	Not applicable.
Transport hazard class(es)	Not applicable.	Not applicable.	Not applicable.
Packing group	Not applicable.	Not applicable.	Not applicable.
Environmental hazards	No.	No.	No.

Additional information

- Special precautions for user : Transport within user's premises: Ensure that persons transporting the product know what to do in the event of an accident or spillage.
- Remark : A NPK fertilizer not liable to self-sustaining exothermic decomposition according to the S.1 trough test as defined in the recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria, part III, section 38.

Transport in bulk according to
IMO instruments

Proper shipping
name
Remarks

: AMMONIUM NITRATE
BASED FERTILIZER
: **Solid bulk cargoes**
Harmful to the marine
environment with regard to
MARPOL Annex V: No
Material is hazardous only in
bulk according to the IMSBC:
No
IMSBC shipping group: C

Section 15. Regulatory information

United States

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Air Act Section 112(b) : Listed
Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 : Not listed
Class I Substances

Clean Air Act Section 602 : Not listed
Class II Substances

DEA List I Chemicals : Not listed
(Precursor Chemicals)

DEA List II Chemicals : Not listed
(Essential Chemicals)

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : EYE IRRITATION - Category 2A

Composition/information on ingredients

Name	%	Classification
Ammonium nitrate	>= 45 - <= 50	EYE IRRITATION - Category 2A OXIDIZING SOLIDS - Category 3
Nitric acid potassium salt	>= 7 - <= 10	OXIDIZING SOLIDS - Category 3

SARA 313

Form R - Reporting requirements

Product name	CAS number	%
Ammonium nitrate	6484-52-2	>= 45 - < 50
Nitric acid potassium salt	7757-79-1	>= 7 - < 10
Sulfuric acid ammonium salt (1:2)	7783-20-2	>= 7 - < 10
Phosphoric acid, ammonium salt (1:1)	7722-76-1	>= 3 - < 5
Phosphoric acid, ammonium salt (1:2)	7783-28-0	>= 1 - < 2

Supplier notification

Product name	CAS number	%
Ammonium nitrate	6484-52-2	>= 45 - < 50
Nitric acid potassium salt	7757-79-1	>= 7 - < 10
Sulfuric acid ammonium salt (1:2)	7783-20-2	>= 7 - < 10
Phosphoric acid, ammonium salt (1:1)	7722-76-1	>= 3 - < 5
Phosphoric acid, ammonium salt (1:2)	7783-28-0	>= 1 - < 2

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts

: The following components are listed:
Ammonium nitrate
Nitric acid potassium salt
Sulfuric acid ammonium salt (1:2)

New York

: The following components are listed:
Ammonium nitrate
Sulfuric acid ammonium salt (1:2)

New Jersey

: The following components are listed:
AMMONIUM NITRATE
Ammonium nitrate
POTASSIUM NITRATE
Nitric acid potassium salt
FLUORIDES
Calcium fluoride (CaF₂)
TALC (NOT CONTAINING ASBESTOS FIBERS)
TALC (CONTAINING ASBESTOS FIBERS)
Talc

Pennsylvania

: The following components are listed:
NITRIC ACID AMMONIUM SALT
Ammonium nitrate
NITRIC ACID POTASSIUM SALT
Nitric acid potassium salt
SULFURIC ACID DIAMMONIUM SALTS
Sulfuric acid ammonium salt (1:2)

California Prop. 65

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

Inventory list

Taiwan Chemical Substances Inventory (TCSI): All components are listed or exempted.

United States inventory (TSCA 8b): All components are active or exempted.

EC INVENTORY (EINECS/ELINCS): All components are listed or exempted.

Canada: At least one component is not listed in DSL but all such components are listed in NDSL.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	2
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on MSDSs or products leaving a facility under 29 CFR


1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Chronic toxicity:

- : No data available.

* : Carcinogen, Target organs, Reproductive effects, Sensitizer to lungs

National Fire Protection Association (U.S.A.)**Procedure used to derive the classification**

Classification	Justification
EYE IRRITATION - Category 2A	Calculation method

History

Date of printing	: 05/27/2024
Date of issue/Date of revision	: 05/22/2024
Date of previous issue	: 05/20/2020
Version	: 2.1
Prepared by	: Product Stewardship and Compliance (PSC).
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations
Key data sources	: EU REACH ECHA/IUCLID5 CSR. National Institute for Occupational Safety and Health, U.S. Dept. of Health, Education, and Welfare, Reports and Memoranda Registry of Toxic Effects of Chemical Substances. Sphera Solutions Inc., 4777 Levy Street, St Laurent, Quebec HAR 2P9, Canada.

|| Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.