### Magruder 251011

### 11-37-0

Results due December 15, 2025

Total Nitrogen (N)......11.0 % 11.0 % Ammoniacal Nitrogen Available Phosphate (P<sub>2</sub>O<sub>5</sub>)......37.0 %

Derived from: Ammonium Polyphosphate, Monoammonium Phosphate, Diammonium Phosphate

### Also analyze for:

As (ppm), Cd (ppm), Cr (ppm), Co (ppm), Pb (ppm), Hg (ppm), Mo (ppm), Ni (ppm), Se (ppm), Cu (%) and Zn (%)

The units above are those required for reporting data from this Magruder sample. They may not be the units required on a commercial fertilizer label.

Note: This Magruder Check Sample material is not to be used in the manufacture of products nor applied to any crops or for other fertilizer uses. It is intended for analytical testing purposes only.

### SDS for this product can be found at:

https://www.magruderchecksample.org/SDS/251011GuarSDS.pdf

# SDS for Magruder 251011

### **Section 1. Identification**

Product identifier : AMMONIUM POLYPHOSPHATE SOLUTION

Product code : POLY10, POLY11

**SDS** # : 216

Other means of : APP 10-34-0; APP 11-37-0; COMPEN; POLY identification

Product type : Liquid.

### Relevant identified uses of the substance or mixture and uses advised against

#### **Identified uses**

Fertilizer. Fertilizer blend component. For further manufacture of feed. Industrial use.

#### **Uses advised against**

Not to be used as an ingredient for human food.

Supplier's details : PCS Sales (USA), Inc. (A Subsidiary of Nutrien Ltd.)

Suite 150

500 Lake Cook Road Deerfield, IL 60015 United States

PCS Sales (Canada), Inc. (A Subsidiary of Nutrien Ltd.)

**Suite 1700** 

211 - 19th Street East Saskatoon SK S7K 5R6

Canada

Telephone no. : 1-800-524-0132 Email : sds@nutrien.com

number (with hours of

**Emergency telephone** 

operation)

: Nutrien North American

24 HOUR EMERGENCY TELEPHONE NUMBERS:

English:

Transportation Emergencies: 1-800-792-8311 Medical Emergencies: 1-303-389-1653

French or Spanish:

Transportation or Medical Emergencies: 1-303-389-1654

### Section 2. Hazard identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200).

Classification of the substance or mixture

: EYE IRRITATION - Category 2B

### **GHS** label elements

Hazard pictograms : Not applicable.

Signal word : Warning

### Section 2. Hazard identification

**Hazard statements** : Causes eye irritation.

**Precautionary statements** 

General : Read label before use. Keep out of reach of children. If medical advice is needed,

have product container or label at hand.

**Prevention**: Wash thoroughly after handling.

**Response** : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice or attention.

**Storage** : Store in a corrosion resistant container with a resistant inner liner.

**Disposal** : Not applicable.

### Section 3. Composition/information on ingredients

Substance/mixture : Multi-constituent substance

Ingredient name	% (w/w)	CAS number
ammonium polyphosphate	70 - 72	68333-79-9
water	< 20	7732-18-5
ammonium dihydrogenorthophosphate	< 10	7722-76-1
diammonium hydrogenorthophosphate	< 10	7783-28-0

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First-aid measures

#### **Description of necessary first aid measures**

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15

minutes. Get medical attention if irritation occurs.

Inhalation : Remove person to fresh air. No known significant effects. Seek medical attention for any signs of wheezing and/or breathing difficulties. For additional advice call the medical emergency number on this SDS or your poison center or medical provider.

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse.

Clean shoes thoroughly before reuse.

**Ingestion**: Wash out mouth with water. Remove dentures if any. If material has been

swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by

mouth to an unconscious person.

### Most important symptoms/effects, acute and delayed

### Potential acute health effects

**Eye contact** : Causes eye irritation.

**Inhalation** : No known significant effects or critical hazards.

**Skin contact**: No known significant effects or critical hazards.

**Ingestion** : May be harmful if swallowed. Over-exposure by ingestion is unlikely under normal

working conditions.

**Skin contact** 

### Section 4. First-aid measures

### Over-exposure signs/symptoms

: Adverse symptoms may include the following: **Eye contact** 

> irritation watering redness

Inhalation : No specific data. **Skin contact** No specific data. Ingestion : No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**Specific treatments** 

: No specific treatment.

**Protection of first-aiders** 

: No action shall be taken involving any personal risk or without suitable training. Decontamination measures may be necessary. Personnel and equipment must be checked and decontaminated prior to leaving the area.

### See toxicological information (Section 11)

# Section 5. Fire-fighting measures

### **Extinguishing media**

Suitable extinguishing media

**Unsuitable extinguishing** media

: Non-flammable. Material will not burn. Use an extinguishing agent suitable for the surrounding fire.

: None known.

Specific hazards arising from the chemical

**Hazardous thermal** decomposition products : In a fire or if heated, a pressure increase will occur and the container may burst.

: Decomposition products may include the following materials: nitrogen oxides

**Special protective actions** for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Contain and collect the water used to fight the fire for later treatment and disposal.

**Special protective** equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 9).

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

### Section 6. Accidental release measures

### **Environmental precautions**

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused adverse impacts (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

### **Small spill**

: Put on appropriate personal protective equipment (see Section 8). Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if watersoluble. Dispose of via a licensed waste disposal contractor.

### Large spill

: Put on appropriate personal protective equipment (see Section 8). Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Use appropriate equipment to put the spilled substance in a container for reuse or disposal. Recycle to process, if possible.

Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

### Precautions for safe handling

#### **Protective measures**

: Put on appropriate personal protective equipment (see Section 8). Avoid contact with eyes, skin and clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

### Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

# including any incompatibilities

Conditions for safe storage, : Store in accordance with local regulations. Store in original container or corrosiveresistant and/or lined container. Corrosive to unlined mild steel. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination. Incompatible with: aluminum, copper, zinc and their alloys, including brass, bronze and galvanized materials. Contact your sales representative or a metallurgical specialist to ensure compatibility with your equipment.

# Section 8. Exposure controls/personal protection

### **Control parameters**

Occupational exposure limits

None.

### **Appropriate engineering** controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### **Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### Individual protection measures

Contact your personal protective equipment supplier to verify the compatibility of the equipment for the intended purpose.

## Section 8. Exposure controls/personal protection

### **Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### **Eye/face protection**

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

### **Skin protection**

**Hand protection** 

- : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- **Body protection**
- : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection
- : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Use slip resistant footwear.

### Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Possible: A respirator is not needed under normal and intended conditions of product use.

For U.S. work sites where respiratory protection is required, ensure that a respiratory protection program meeting 29 CFR 1910.134 requirements is in place.

# Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### **Appearance**

Physical state : Liquid.

Color : Green to Brown.

Odor : Odorless.
Odor threshold : Not available.

**pH** : 6

**Melting point/freezing point** : <-12°C (<10.4°F) **Boiling point, initial boiling** : Not available.

point, and boiling range

Flash point : Not applicable.

Evaporation rate : Not available.

Flammability : Not available.

# Section 9. Physical and chemical properties and safety characteristics

Flammability
Lower and upper explosion

limit/flammability limit

Not available.Not available.

Vapor pressure : Not available.

Relative vapor density : Not available.

Relative density : 1.45

**Solubility** : Easily soluble in the following materials: cold water and hot water.

**Solubility in water** : Soluble in water in any proportion.

Partition coefficient: n-

octanol/water

: Not applicable.

Auto-ignition temperature : Not applicable.

Decomposition temperature : Not available.

Viscosity : Not available.

**Particle characteristics** 

**Median particle size** : Not applicable.

# Section 10. Stability and reactivity

**Reactivity**: No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability**: The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid** : Keep away from incompatible materials.

Incompatible materials : Aluminium, copper, zinc and their alloys, including brass, bronze and galvanized

materials. Contact your sales representative or a metallurgical specialist to ensure

compatibility with your equipment.

**Hazardous decomposition** 

products

Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

# Section 11. Toxicological information

### **Information on toxicological effects**

### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
ammonium	LC50 Inhalation Dusts and mists	Rat - Male,	>5 mg/l	4 hours
dihydrogenorthophosphate		Female		
	LD50 Dermal	Rat - Male,	>5000 mg/kg	-
		Female		
	LD50 Oral	Rat - Male,	>2000 mg/kg	-
		Female		
diammonium	LC50 Inhalation Dusts and mists	Rat - Male,	>5 mg/l	4 hours
hydrogenorthophosphate		Female		
	LD50 Dermal	Rat - Male,	>5000 mg/kg	-
		Female		
	LD50 Oral	Rat - Male,	>2000 mg/kg	-
		Female		

# **Section 11. Toxicological information**

**Skin** : No known significant effects or critical hazards.

**Eyes** : Causes eye irritation.

**Respiratory**: No known significant effects or critical hazards.

### **Sensitization**

Product/ingredient name	Route of exposure	Species	Result
diammonium hydrogenorthophosphate	skin	Mouse	Not sensitizing

### **Conclusion/Summary**

Skin : No known significant effects or critical hazards.Respiratory : No known significant effects or critical hazards.

### **Mutagenicity**

Product/ingredient name	Test	Experiment	Result
ammonium dihydrogenorthophosphate diammonium hydrogenorthophosphate	OECD 471 Bacterial Reverse Mutation Test 471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria Subject: Bacteria	Negative Negative

**Conclusion/Summary**: No known significant effects or critical hazards.

**Carcinogenicity** 

**Conclusion/Summary**: No known significant effects or critical hazards.

### **Reproductive toxicity**

Product/ingredient name	Maternal toxicity	Fertility	Development toxin	Species	Dose	Exposure
ammonium dihydrogenorthophosphate	Negative	Negative	Negative	Rat - Male, Female	Oral: >1500 mg/kg	-
diammonium hydrogenorthophosphate	Negative	Negative	Negative	Rat - Male, Female		-

**Conclusion/Summary**: No known significant effects or critical hazards.

### **Teratogenicity**

Product/ingredient name	Result	Species	Dose	Exposure
ammonium dihydrogenorthophosphate	Negative - Oral	Rat - Male, Female	>1500 mg/kg	-

### Specific target organ toxicity (single exposure)

Not available.

### **Specific target organ toxicity (repeated exposure)**

Not available.

### **Aspiration hazard**

Not available.

Information on the likely

routes of exposure

: Eye contact.

Potential acute health effects

**Eye contact** : Causes eye irritation.

# Section 11. Toxicological information

Inhalation : No known significant effects or critical hazards.

**Skin contact**: No known significant effects or critical hazards.

**Ingestion**: May be harmful if swallowed. Over-exposure by ingestion is unlikely under normal

working conditions.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following:

irritation watering redness

Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

Potential immediate

effects

Potential delayed effects : See below.

Long term exposure

**Potential immediate** 

effects

: See above.

Potential delayed effects : See below.

### Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
ammonium dihydrogenorthophosphate	Chronic NOAEL Oral	Rat - Male, Female	250 mg/kg	-
diammonium hydrogenorthophosphate	Chronic NOAEL Oral	Rat - Male, Female	250 mg/kg	-

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Reproductive toxicity : No known significant effects or critical hazards.

### **Numerical measures of toxicity**

### **Acute toxicity estimates**

N/A

Other information : Not available.

## Section 12. Ecological information

### **Toxicity**

Product/ingredient name	Result	Species	Exposure
ammonium polyphosphate	Acute EC50 90890 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 >500 mg/l	Fish	96 hours
	Acute LC50 70000 µg/l Fresh water	Fish - Oncorhynchus tshawytscha - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
ammonium dihydrogenorthophosphate	Acute EC50 >97.1 mg/l	Aquatic plants	72 hours
	Acute LC50 1790 mg/l Fresh water	Daphnia	72 hours
	Acute LC50 >85.9 mg/l Fresh water	Fish	96 hours
diammonium hydrogenorthophosphate	Acute LC50 1700 mg/l Fresh water	Fish - Cirrhinus mrigala/L. Rohita - Fry	96 hours
, ,	Acute LC50 120 μg/l Fresh water	Fish - Oreochromis mossambicus - Juvenile (Fledgling, Hatchling, Weanling)	96 hours

### **Conclusion/Summary**

: May be harmful to the environment if released in large quantities. Excessive nutrient runoff to a body of water may result in eutrophication.

### Persistence and degradability

**Conclusion/Summary**: Not persistent.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
ammonium polyphosphate ammonium	-	-	Readily Readily
dihydrogenorthophosphate diammonium hydrogenorthophosphate	-	-	Readily

#### Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
ammonium	<1	-	low
dihydrogenorthophosphate			

### **Mobility in soil**

Soil/water partition coefficient (K<sub>oc</sub>)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

### Section 13. Disposal considerations

### **Disposal methods**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# **Section 14. Transport information**

	TDG	DOT	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Marine pollutant	No.	No.	No.	No.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

# Section 15. Regulatory information

### **Canadian lists**

Canadian NPRI : The following components are listed: ammonia (total); ammonium

dihydrogenorthophosphate; ammonia (total)

**CEPA Toxic substances** 

: None of the components are listed.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

### **Montreal Protocol**

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

#### **Inventory list**

**Australia** : All components are listed or exempted. Canada : All components are listed or exempted. China : All components are listed or exempted.

: Japan inventory (CSCL): All components are listed or exempted. **Japan** 

Japan inventory (ISHL): Not determined.

**New Zealand** : All components are listed or exempted. **Philippines** : All components are listed or exempted. Republic of Korea : All components are listed or exempted. **Taiwan** : All components are listed or exempted.

Page 10 of 12

## Section 15. Regulatory information

**Thailand**: All components are listed or exempted.

Turkey : Not determined.

United States : All components are active or exempted.Viet Nam : All components are listed or exempted.

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Air Act Section 112(b) : Listed

**Hazardous Air Pollutants** 

Clean Air Act Section 602

(HAPs)

: Not listed

**Class I Substances** 

Clean Air Act Section 602

: Not listed

**Class II Substances** 

**DEA List I Chemicals** 

: Not listed

(Precursor Chemicals)

DEA List II Chemicals

: Not listed

(Essential Chemicals)

**SARA 302/304** 

### **Composition/information on ingredients**

No products were found.

### **SARA 311/312**

Classification : EYE IRRITATION - Category 2B

### **Composition/information on ingredients**

No products were found.

#### **SARA 313**

	Product name	CAS number	%
Form R - Reporting requirements	, , , , , , , , , , , , , , , , , , , ,	7722-76-1 7783-28-0	< 10 < 10
Supplier notification	, , , , , , , , , , , , , , , , , , , ,	7722-76-1 7783-28-0	< 10 < 10

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

### **State regulations**

Massachusetts: None of the components are listed.New York: None of the components are listed.New Jersey: None of the components are listed.Pennsylvania: None of the components are listed.

### California Prop. 65

▲ WARNING: This product can expose you to cadmium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

### Section 16. Other information

**History** 

Date of issue/Date of

revision

Date of previous issue : 1/3/2023

Version : 4.1

**Key to abbreviations** : ATE = Acute Toxicity Estimate

: 7/11/2023

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

HPR = Hazardous Products Regulations IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available SGG = Segregation Group

**UN = United Nations** 

### Procedure used to derive the classification

Classification	Justification
EYE IRRITATION - Category 2B	Weight of evidence

<sup>▼</sup> Indicates information that has changed from previously issued version.

### **Notice to reader**

Supply chain partners must ensure they pass this SDS, and all other relevant safety information to their customers.

#### DISCLAIMER AND LIMITATION OF LIABILITY

The information and recommendations contained in this Safety Data Sheet ("SDS") relate only to the specific material referred to herein (the "Material") and do not relate to the use of such Material in combination with any other material or process. The information and recommendations contained herein are believed to be current and correct as of the date of this SDS. HOWEVER, THE INFORMATION AND RECOMMENDATIONS ARE PRESENTED WITHOUT WARRANTY, REPRESENTATION OR LICENSE OF ANY KIND, EXPRESS OR IMPLIED, WITH RESPECT TO THEIR ACCURACY, CORRECTNESS OR COMPLETENESS, AND THE SELLER, SUPPLIER AND MANUFACTURER OF THE MATERIAL AND THEIR RESPECTIVE AFFILIATES (COLLECTIVELY, THE "SUPPLIER") DISCLAIM ALL LIABILITY FOR RELIANCE ON SUCH INFORMATION AND RECOMMENDATIONS. This SDS is not a guarantee of safety. A buyer or user of the Material (a "Recipient") is responsible for ensuring that it has all current information necessary to safely use the Material for its specific purpose.

FURTHERMORE, THE RECIPIENT ASSUMES ALL RISK IN CONNECTION WITH THE USE OF THE MATERIAL. THE RECIPIENT ASSUMES ALL RESPONSIBILITY FOR ENSURING THE MATERIAL IS USED IN A SAFE MANNER IN COMPLIANCE WITH APPLICABLE ENVIRONMENTAL, HEALTH, SAFETY AND SECURITY LAWS, POLICIES AND GUIDELINES. THE SUPPLIER DOES NOT WARRANT THE MERCHANTABILITY OF THE MATERIAL OR THE FITNESS OF THE MATERIAL FOR ANY PARTICULAR USE AND ASSUMES NO RESPONSIBILITY FOR INJURY OR DAMAGE CAUSED DIRECTLY OR INDIRECTLY BY OR RELATED TO THE USE OF THE MATERIAL.