

Magruder 260341 18-46-0 DAP

Results due April 15, 2026

Guaranteed Analysis

Total Nitrogen (N) 18.0%
Available Phosphate (P₂O₅) 46.0%

Derived from: diammonium phosphate

Also analyze for:

As (ppm), Cd (ppm), Cr (ppm), Co (ppm), Pb (ppm),
Hg (ppm), Mo (ppm), Ni (ppm), Se (ppm), Cu (%) and Zn (%)

The units above are those required for reporting data from this Magruder sample. They may not be the units required on a commercial fertilizer label.


Note: This Magruder Check Sample material is not to be used in the manufacture of products nor applied to any crops or for other fertilizer uses. It is intended for analytical testing purposes only.

SDS for this product can be found at:

<https://www.magruderchecksample.org/SDS/260341GuarSDS.pdf>

SDS For Magruder 260341

SECTION 1	PRODUCT AND COMPANY IDENTIFICATION
Trade Name:	DAP-DiammoniumPhosphate
ChemicalName:	DibasicAmmoniumPhosphate
CAS Number:	7783- 28- 0
Chemical Family:	AmmoniumPhosphates—InorganicSalt
Synonyms:	AmmoniumPhosphate Dibasic Secondary Ammonium Phosphate Diammonium Hydrogen Phosphate Fertilizer Grade Ammonium Phosphate DAP18-46-0
PrimaryUse:	Croplnutrient
Company Information:	The Mosaic Company 101 East Kennedy Blvd, Ste 2500 Tampa, FL 33602 www.mosaicco.com (800)918-8270 or (813) 775-4200 8 AM to 5 PM Eastern Time USA
Emergency Telephone:	EMERGENCY OVERVIEW 24 Hour Emergency Telephone Number: For Chemical Emergencies: Spill, Leak, Fire or Accident Call CHEMTREC North America: (800) 424-9300(reference CCN201871) Others: (703) 527-3887 (collect)

SECTION 2	HAZARD IDENTIFICATION	
GHS Classification:	Acute Toxicity Oral Category 5 Skin Irritant Category 2 Eye Irritant Category 2B STOT SE Category 3 Signal Word: WARNING	Hazard Statement H303 Hazard Statement H315 Hazard Statement H320 Hazard Statement H335
	Hazard Statement(s) H303: May be harmful if swallowed H315: Causes skin irritation H320: Causes eye irritation H335: Maycause respiratory irritation	
Label Elements:		
Prevention:	P264: Washhandsthoroughly after handling. P280: Wear protective gloves P261: Avoid breathing dust P271: Use only outdoors or in a well-ventilated area.	
Response:	P302+ P352 P321	IF ON SKIN:Wash with plenty of water.
	P332+ P313 P362+	Specific Treatment, see supplemental first aid information.
	P364	If skin irritation occurs:Get medical advice/attention.
	P305+P351+ P338	Take off contaminated clothing and wash it before reused.
	P337+ P313	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

	P304+ P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P312	Call a POISON CENTER.
Storage:	Not applicable	Not applicable
Disposal:	P501	Disposal of content/containers to be in accordance with local/regional/national regulations.

SECTION 3		COMPOSITION INFORMATION ON INGREDIENTS			
Formula:	(NH ₄) ₂ HPO ₄				
Composition:	Dibasic Ammonium Phosphate	CAS 7783-28-0	70-90%	Acute Toxicity Oral	
	Ammonium Sulfate	CAS 7783-20-2	5.5-7.5%	Category 5 Skin Irritant Category 2 Eye Irritant Category 2B STOT SE 3 (Lungs, Inhalation)	

SECTION 4		FIRST AID MEASURES	
First Aid Procedures:	Eyes:	Move victim away from exposure and into fresh air. Flush eyes with plenty of clean water for at least 15 minutes. If symptoms persist, seek medical attention.	
	Skin:	Wash contaminated area thoroughly with mild soap and water. If chemical or solution soaks through clothing, remove clothing and wash contaminated skin. If irritation develops and persists after washing, seek medical attention.	
	Inhaled:	If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, seek medical attention.	
	Ingestion:	If large amounts are swallowed, seek emergency medical attention. If possible, do not leave victim unattended and observe closely for adequacy of breathing.	
Note to Physician:	If person has been exposed to concentrated decomposition products, treat symptomatically and watch for delayed symptoms of pulmonary edema.		

SECTION 5		FIRE FIGHTING MEASURES	
Extinguishing Media:	Use extinguishing agent suitable for type of surrounding fire. Avoid excessive water to minimize runoff. Prevent firefighter water from entering the environment. Small fires: Water spray, foam, dry chemical or CO ₂ Large fires: Water spray, fog or foam		
Protection of Firefighters:	Positive pressure, self-contained breathing apparatus is required for all firefighting activities involving hazardous materials.		

SECTION 6		ACCIDENTAL RELEASE MEASURES	
Response Techniques:	Stay upwind and away from spill (dust hazard). Wear appropriate protective equipment, including respiratory protection, as conditions warrant (see Section 8). Prevent spilled material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural waterways. Notify appropriate federal, state, and local agencies as may be required (see Section 15). Minimize dust generation. Sweep up and package appropriately for disposal.		

SECTION 7	HANDLING AND STORAGE
Handling:	The use of appropriate respiratory protection is advised when concentrations exceed any established exposure limits (see Section 8). Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Wash contaminated clothing or shoes. Use good personal hygiene practices.
Storage:	Use and store this material in dry, well-ventilated areas. Store only in approved containers. Keep container(s) tightly closed. Keep away from any incompatible material (see Section 10). Protect container(s) against physical damage. Material may absorb moisture from the air.

SECTION 8	EXPOSURE CONTROLS / PERSONAL PROTECTION	
Engineering Controls:	Use process enclosure, general dilution ventilation or local exhaust systems where necessary to maintain airborne dust concentration below the OSHA standards or in accordance with applicable regulations.	
Personal Protective Equipment(PPE):	Eye/Face:	Approved eye protection to safeguard against potential eye contact, irritation, or injury is recommended.
	Skin:	The use of cloth or leather work gloves is advised to prevent skin contact, possible irritation and absorption.
	Respiratory:	A NIOSH approved air purifying respirator with a type 95 (R or P) particulate filter may be used under conditions where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited (see manufacturer's respirator selection guide). Use a positive pressure air supplied respirator if there is potential for uncontrolled release, exposure levels are not known or any other circumstances where air purifying respirators may not provide adequate protection. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed if workplace conditions warrant a respirator.
	Other:	A source of clean water should be available in the work area for flushing eyes and skin.
General Hygiene Considerations:	Wash thoroughly after handling Use adequate ventilation	
Exposure Guidelines:	OSHA Permissible Exposure Limits (PEL):	Particulates Not Otherwise Regulated: 5 mg/m ³ TWA (respirable); 15 mg/m ³ TWA (total) Ammonia: 50 ppm (35 mg/m ³) TWA
	ACGIH Threshold Limit Value (TLV):	Particulates Not Otherwise Specified: 3 mg/m ³ TWA (respirable); 10 mg/m ³ TWA (inhalable) Ammonia: 25 ppm (18 mg/m ³) TWA; 35 ppm (27 mg/m ³) STEL

SECTION 9		PHYSICAL AND CHEMICAL PROPERTIES	
Note: Unless otherwise stated, values in this section are determined at 20°C (68°F) and 760 mm Hg (1 atm).			
Appearance:	Gray, tan, brown or black granules	Vapor Pressure (mm Hg):	Not applicable
Odor:	Slight ammonia odor	Vapor Density (air=1):	Not applicable
Odor Threshold:	No data available	Specific Gravity or Relative Density:	Not applicable
Physical state:	Solid 7.0 –8.0 in a 1% solution	Bulk Density:	Loose 56 -61 lbs/ft3 (895-960 kg/m3) 80% -95%
pH:	Not applicable	Solubility in Water:	No data available
Melting Point/ Freezing Point:	Not applicable	Partition coefficient:	Not applicable
Boiling Point:	Not applicable No data	Auto-Ignition Temperature:	310°F (155°C)
Flash Point:	available	Decomposition Temperature:	No data available
Evaporation Rate:	Not applicable	Viscosity:	Not applicable
Flammability:		Volatility:	
Upper/lower Flammability or explosive limits			

SECTION 10		STABILITY AND REACTIVITY	
Chemical Stability:	Stable under normal conditions of storage and handling. Decomposes at 310°F (155°C).		
Conditions to Avoid:	Extreme temperatures		
Incompatible Materials:	Avoid contact with alkaline materials		
Hazardous Decomposition Products:	If heated to the point of decomposition, oxides of phosphorus, oxides of nitrogen and ammonia (NH3) may be released.		
Corrosiveness:	May be corrosive to iron and mild steels, aluminum, zinc and copper		
Hazardous Polymerization:	Will not occur		


SECTION 11		TOXICOLOGICAL INFORMATION	
Substance:	Diammonium Phosphate		
Acute Oral Toxicity:	LD50(rat, oral) > 2000 mg/kg		
Acute Inhalation Toxicity:	No data available		
Acute Dermal Toxicity:	LD50(rat, dermal) > 5000 mg/kg		
Mutagenesis:	No data available	Target Organ	STOT SE Cat 3; may cause respiratory irritation.
Developmental Toxicity:	No data available	Carcinogenicity	The ingredients of this product are not classified as carcinogenic by NTP (National Toxicology Program), IARC, or OSHA

SECTION 12	ECOLOGICAL INFORMATION
Ecotoxicology:	May release ammonium ions that are toxic to fish. Un-ionized ammonia concentrations above 0.02 mg/l are considered toxic in fresh water. May release phosphates which will result in algae growth, increased turbidity, and depleted oxygen. At extremely high concentrations, this may be hazardous to fish or other marine organisms. Release to watercourses may cause effects downstream. Fish 96 hour LC50, OECD Guidelines 203 (rainbow trout): >86mg/L.

SECTION 13	DISPOSAL CONSIDERATIONS
	Recover or recycle if possible. Properly characterize all waste materials. Consult federal, state/provincial and local regulations regarding the proper disposal of this material. Prevent material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural waterways.

SECTION 14	TRANSPORT INFO
Regulatory Status:	Not regulated
Identification Number:	HTS 3105.30.00
Hazard Class:	Not applicable
Proper Shipping Name	Not applicable
Packing Group	Not applicable
DOT Emergency Response Guide Number:	Not applicable
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:	Not applicable
MARPOL Annex V:	Non-HME
IMO/IMDG:	Not applicable


SECTION 15	REGULATORY INFORMATION				
CERCLA:	Not listed				
RCRA 261.33:	Not listed				
SARA TITLE III: (Exemptions at 40 CFR, Part 370 may apply for agricultural use, or for quantities of less than 10,000 pounds on-site.)	Section 302/304: Not listed	RQ: No	TPQ: No		
	Section 311/312:				
	Acute: Yes	Chronic: No	Fire: No	Pressure: No	Reactivity: No
	Section 313: Not listed				
NTP, IARC, OSHA:	This material has not been identified as a carcinogen by NTP, IARC, or OSHA.				
Canada DSL and NDSL:	DSL: Yes NDSL: Not listed				
TSCA:	Listed on the TSCA Inventory				

CA Proposition 65: (Health & Safety Code Section 25249.5)	 WARNING: Cancer and Reproductive Harm –www.P65Warnings.ca.gov
W HMIS:	WHMIS 2015 This SDS has been prepared according to the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all of the information required by the HPR.
REACH Registration	#01-2119490974-22-0074

SECTION 16	OTHER INFORMATION
Disclaimer:	<p>The information in this document is believed to be correct as of the date issued. HOWEVER, MOSAIC MAKES NO GUARANTEE, REPRESENTATION, OR WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO THE USE OF THIS PRODUCT.</p> <p>User is responsible for determining whether this product is fit for a particular purpose and suitable for user's method of use or application and assumes the risk of use thereof. The conditions and use of this product are beyond the control of Mosaic, and Mosaic disclaims any liability for loss or damage incurred in connection with the use or misuse of this product. Each user should review the recommended industrial hygiene and safe handling procedures in the specific context of the intended use and determine whether they are appropriate.</p>
Preparation:	The preparation of this SDS was in accordance with ANSI Z400.1-2010.
Revision Date:	March 24, 2020
Sections Revised:	1
SDS Number:	MOS 100011
References:	Globally Harmonized System of Classification and Labelling of Chemicals (GHS) –4th Edition 2011 OSHA Hazard Communication Standard, 2012 MARPOL Annex V; The Fertilizer Institute (TFI), 2003; TOXNET

Other Hazard Classifications:

NFPA HAZARD CLASS		HMIS HAZARD CLASS	
Health:	1	Health:	1
Flammability:	0	Flammability:	0
Instability:	0	Physical Hazard:	0
Special Hazard:	None	PPE:	Section 8

WHMIS 2015 (HPR) HAZARD CLASS	
Signal Word	Warning
Symbol	
Classification	Acute Toxicity Oral Category 5 Skin Irritant Category 2 Eye Irritant Category 2B STOT SE Category 3
Hazard Statements	H303: May be harmful if swallowed H315: Causes skin irritation H320: Causes eye irritation H335: May cause respiratory irritation

