Magruder 230311 22-0-12

results due April 15, 2023

Guaranteed Analysis	
Total Nitrogen (N)	2.0 %
10.5 % Ammoniacal Nitrogen	
11.5 % Nitrate Nitrogen	
Soluble Potassium (K ₂ O) 12	2.0 %
Derived from Ammonium Nitrate and Potassium Chloride	
Chlorine (CI) Maximum	9.5 %

Also analyze for:

As (ppm), Cd (ppm), Cr (ppm), Co (ppm), Pb (ppm), Hg (ppm), Mo (ppm), Ni (ppm), Se (ppm), Cu (%) and Zn (%)

The units above are those required for reporting data from this Magruder sample. They may not be the units required on a commercial fertilizer label.

Note: This Magruder Check Sample material is not to be used in the manufacture of products nor applied to any crops or for other fertilizer uses. It is intended for analytical testing purposes only.

SDS for this product can be found at: http://www.magruderchecksample.org/SDS/230311.pdf

SDS for Magruder 230311

Section 1. Identification

GHS product identifier : YaraRega NK GREEN **Product type** : Solid (Granular solid.)

Product code : PKE6YU

<u>Uses</u>

Area of application : Professional applications

Material uses : Fertilizers.

Supplier

Supplier's details : Yara North America, Inc.

<u>Address</u>

Street: 100 North Tampa Street, Suite 3200

Postal code : 33602 City : TAMPA

Country : United States

 Telephone number
 : +1 813 222 5700

 Fax no.
 : +1 813 875 5735

 e-mail address of person
 : yna-hesq@yara.com

responsible for this SDS

responsible for this 505

Emergency telephone number (with hours of operation)

US: Chemtrec 24-hours Emergency Response: 1-800-424-

9300

Canada: 24 Hour Emergency Service, Canutec 613-996-6666

National advisory body/Poison Center

Name : The National Poisons Emergency number

Telephone number : 1 800 222 1222

Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Classification of the : EYE IRRITATION - Category 2A

substance or mixture.

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements: H319 Causes serious eye irritation.

Precautionary statements

Prevention: P280-a Wear eye protection.

P264-a Wash hands thoroughly after handling.

Response : P305 IF IN EYES:

P351 Rinse cautiously with water for several

minutes.

P338 Remove contact lenses, if present and easy

to do. Continue rinsing.

P337 If eye irritation persists: P313-a Get medical attention.

Hazards not otherwise

classified

Product forms slippery surface when combined with water.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	CAS number	%
Ammonium nitrate	6484-52-2	>= 35- <45
Nitric acid potassium salt	7757-79-1	>= 25- <30
Ammonium chloride	12125-02-9	>= 12.5- <15

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact : Rinse with plenty of running water. Check for and remove any

contact lenses. If irritation persists, get medical attention.

Inhalation: If inhaled, remove to fresh air. In case of inhalation of

decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Skin contact : Wash with soap and water. Get medical attention if irritation

develops.

Ingestion: Wash out mouth with water. If material has been swallowed

and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so

by medical personnel.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eve contact Causes serious eye irritation.

Inhalation Exposure to decomposition products may cause a health

hazard. Serious effects may be delayed following exposure.

Skin contact No known significant effects or critical hazards.

Irritating to mouth, throat and stomach. Ingestion

Over-exposure signs/symptoms

Eye contact Adverse symptoms may include the following: pain or irritation,

watering, redness

No specific data. Inhalation No specific data. Skin contact No specific data. Ingestion

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically. Contact poison treatment specialist Notes to physician

immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to

be kept under medical surveillance for 48 hours.

No specific treatment. **Specific treatments**

No action shall be taken involving any personal risk or without **Protection of first-aiders**

suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Unsuitable extinguishing

media

the chemical

Use flooding quantities of water for extinction.

Do NOT use chemical extinguisher or foam or attempt to

smother the fire with steam or sand.

Specific hazards arising from

The product itself is not combustible but it can support combustion, even in absence of air. On heating it melts and

further heating can cause decomposition, releasing toxic

fumes containing nitrogen oxides and ammonia.

Hazardous thermal

decomposition products

Decomposition products may include the following materials: nitrogen oxides, sulfur oxides, halogenated compounds, metal oxide/oxides, ammonia, Avoid breathing dusts, vapors or

fumes from burning materials., In case of inhalation of decomposition products in a fire, symptoms may be delayed.

Special protective actions for

fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken

involving any personal risk or without suitable training.

Special protective equipment

for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full

face-piece operated in positive pressure mode.

Non-flammable. Remark Remark Non-explosive.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill

Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Not for human or animal consumption.

Protective measures : Put on appropriate personal protective equipment (see

Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas

where this material is handled, stored and processed.

Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep away from: organic materials, oil and grease.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Ammonium nitrate	None.
Nitric acid potassium salt	None.
Ammonium chloride	ACGIH TLV (1994-09-01)
	TWA 10 mg/m3 Form: Fume
	STEL 20 mg/m3 Form: Fume
	OSHA PEL 1989 (1989-03-01)
	TWA 10 mg/m3
	STEL 20 mg/m3
	NIOSH REL (1994-06-01)
	TWA 10 mg/m3 Form: Fume
	STEL 20 mg/m3 Form: Fume

Appropriate engineering controls Environmental exposure controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: A washing facility or water for eye and skin cleaning purposes should be present. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing.

Eye/face protection

Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Recommended: Tightly-fitting goggles,

Skin protection

Hand protection Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling

chemical products if a risk assessment indicates this is necessary. For general applications, we recommend gloves with a thickness typically greater than 0.35 mm. It should be emphasized that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the

exact composition of the glove material.

Personal protective equipment for the body should be selected **Body protection**

based on the task being performed and the risks involved.

Appropriate footwear and any additional skin protection Other skin protection

measures should be selected based on the task being

performed and the risks involved and should be approved by a

specialist before handling this product.

In case of inadequate ventilation wear respiratory protection. **Respiratory protection**

Personal protective equipment

(Pictograms)





Section 9. Physical and chemical properties

Appearance

Physical state Solid [Granular solid.]

Not determined. Color Odor Not determined. Odor threshold Not determined. Not determined. Melting/freezing point Not determined. **Boiling/condensation point** Not determined. **Sublimation temperature** Not determined. Flash point Not determined. **Evaporation rate** Not determined. Flammability (solid, gas) Non-flammable.

Lower and upper explosive

Lower: Not determined. (flammable) limits **Upper:** Not determined.

Vapor pressure Not determined. **Bulk density** 1,100 kg/m3

Relative density Not determined. Solubility Not determined. Partition coefficient: n-

octanol/water

Not determined.

Auto-ignition temperature: Not determined.

Decomposition temperature

Not determined.

Viscosity

Dynamic: Not determined. **Kinematic:** Not determined.

Explosive properties

Non-explosive.

Oxidizing properties

: None

Section 10. Stability and reactivity

Reactivity: No specific test data related to reactivity available for this

product or its ingredients.

Chemical stability: The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous

reactions will not occur.

Conditions to avoid : Avoid contamination by any source including metals, dust and

organic materials.

Incompatible materials : alkalis combustible materials, reducing materials, organic

materials, Acids

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredie	Method	Species	Result	Exposure	References
nt name					
Ammonium chloride	Э				
	LD50 Oral	Rat	1,410 mg/kg	Not applicable.	CSR
	LD50 Dermal	Rat	> 5,000 mg/kg	Not applicable.	IUCLID
Nitric acid potassiu	m salt	•			
	LD50 Oral	Rat	2,000 - 5,000 mg/kg	Not applicable.	CSR
	LD50 Dermal	Rat	> 5,000 mg/kg	Not applicable.	CSR
Ammonium nitrate					
	OECD 401	Rat	2,950 mg/kg	Not	CSR
	LD50 Oral			applicable.	
	OECD 402 LD50 Dermal	Rat	> 5,000 mg/kg	Not applicable.	CSR

Conclusion/Summary: No known significant effects or critical hazards.

Irritation/Corrosion

Product/ingredient	Method	Species	Result	Exposure	References
name					
Ammonium chloride					
	Eyes	Rabbit	Irritant		CSR
Nitric acid potassium s	salt				
	OECD 404	Rabbit	Non-		IUCLID 5
	Skin		irritating.		
Ammonium nitrate					
	OECD 405	Rabbit	Irritant		CSR
	Eyes				

Conclusion/Summary

Skin : No known significant effects or critical hazards.

Eyes : Causes serious eye irritation.

Respiratory: No known significant effects or critical hazards.

Sensitization

Product/ingredient name	Method	Species	Result	References
Ammonium nitrate				
	OECD 429 Skin	Mouse	Not sensitizing	

Conclusion/Summary

SkinRespiratoryNo known significant effects or critical hazards.No known significant effects or critical hazards.

Mutagenicity

Product/ingredient	Method	Test detail	Result	References
name				
Ammonium nitrate				
	OECD 473	Mammalian Toxicity - Genotoxicity - In vitro Mammalian Chromosome Aberration Test or Mammalian Bone Marrow Chromosomal Abberation Test or Mammalian Erythrocyte Micronucleus Test In vitro	Negative	CSR

OECD 471	Bacteria	Negative	IUCLID
	In vitro		

Conclusion/Summary : No known significant effects or critical hazards.

Carcinogenicity

Classification

Product/ingredient	OSHA	IARC	NTP
name			
Nitric acid potassium	Not	2A	Not applicable.
salt	applicable.		

Conclusion/Summary : No known significant effects or critical hazards.

Reproductive toxicity

Product/ingredient	Method	Species	Result	Exposure	References
Ammonium chloride					
	Oral	Rat	Fertility effects- Negative Developmental- Negative 1500 mg/kg bw/day	Not applicable.	IUCLID 5
Ammonium nitrate	·	·		•	
	OECD 422 Oral	Rat	Fertility effects- Negative Developmental- Negative NOAEL > 1500 mg/kg bw/day	28 days	CSR

Conclusion/Summary : No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

No known significant effects or critical hazards.

Specific target organ toxicity (repeated exposure)

No known significant effects or critical hazards.

Aspiration hazard

No known significant effects or critical hazards.

Information on the likely

Not available.

routes of exposure

Potential acute health effects

Eye contact : Causes serious eye irritation.

Inhalation : Exposure to decomposition products may cause a health

hazard. Serious effects may be delayed following exposure.

Skin contact : No known significant effects or critical hazards.

Ingestion: Irritating to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following: pain or irritation,

watering, redness

Inhalation:No specific data.Skin contact:No specific data.Ingestion:No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

Product/ingredient	Method	Species	Result	Exposure	References
name					
Ammonium chloride					
	Sub-chronic	Rat	1,695	13 weeks 7	CSR
	NOAEL		mg/kg	days per	
	Oral			week	
Ammonium nitrate	·				
	OECD 422	Rat	256 mg/kg	28 days	CSR
	Chronic				
	NOAEL				
	Oral				
	OECD 412	Rat	> 185	2 weeks 5	CSR
	Sub-acute		mg/m³	hours per	
	NOEC			day	
	Inhalation			-	

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity: No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Developmental effects: No known significant effects or critical hazards.

Effects on or via lactation : No known significant effects or critical hazards.

Other effects : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following: pain or irritation,

watering, redness

Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	3,924.5 mg/kg

Section 12. Ecological information

Toxicity

TOXICITY					
Product/ingred	Method	Species	Result	Exposure	References
ient name					
Ammonium chlori	de				
	OECD 202	Daphnia	136.6 mg/l	48 h	CSR
	Acute EC50				
	Fresh water				
	Acute EC50	Algae	1,300 mg/l	5 d	CSR
	Fresh water				
Nitric acid potass	ium salt			•	
	OECD 203	Fish	> 100 mg/l	96 h	CSR
	Acute LC50				
	Fresh water				
	Acute EC50	Daphnia	490 mg/l	48 h	CSR
	Fresh water				
	Acute EC50	Algae	> 1,700 mg/l	240 h	CSR
	Fresh water				
Ammonium nitrate	е				
	Acute LC50	Fish	447 mg/l	48 h	CSR
	Fresh water				
	Acute EC50	Daphnia	490 mg/l	48 h	CSR
	Fresh water				
	Acute EC50	Algae	1,700 mg/l	10 d	CSR
	Salt water				

Conclusion/Summary: No known significant effects or critical hazards.

Persistence and degradability

Conclusion/Summary : No known significant effects or critical hazards.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Ammonium chloride	-3.2	Not applicable.	low

Conclusion/Summary : No known significant effects or critical hazards.

Mobility in soil

Soil/water partition coefficient (KOC)

: Not available.

Mobility

: Not available.

Other adverse effects

No known significant effects or critical hazards.

Section 13. Disposal considerations

Product

Methods of disposal

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways. drains and sewers.

Section 14. Transport information

Regulation: UN Class	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information	
Environmental hazards	: No.
Environmental Huzurdo	1110.

Regulation: IMDG		
14.1 UN number	Not regulated.	
14.2 UN proper shipping name	Not applicable.	
14.3 Transport hazard class(es)	Not applicable.	
14.4 Packing group	Not applicable.	
14.5 Environmental hazards	No.	

Additional information

Marine pollutant : No.

Regulation: IATA	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information <u>Marine pollutant</u>	: No.

Regulation: DOT Classification	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information	

Marine pollutant : Not available.

Regulation: TDG Class	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information	

Not applicable.

Environmental hazards : No.

14.6 Special precautions for

<u>user</u>

: Transport within user's premises: Ensure that persons transporting the product know what to do in the event of

an accident or spillage.

IMSBC

Bulk cargo shipping name : AMMONIUM NITRATE BASED FERTILIZER (non-

hazardous)

Class : Not applicable.

Group : C

Marpol V : Non-HME

Transport in bulk according to Annex II of MARPOL and the

IBC Code

Not applicable.

Section 15. Regulatory information

United States

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not

determined

Not listed

Not listed

Not listed

United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Ammonium chloride;

Clean Air Act Section 112(b)

Hazardous Air Pollutants

(HAPs)

Clean Air Act Section 602 : Not listed

Class I Substances

Clean Air Act Section 602

Class II Substances

DEA List I Chemicals : Not listed

(Precursor Chemicals)

DEA List II Chemicals

(Essential Chemicals)

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : EYE IRRITATION - Category 2A

Composition/information on ingredients

Name	%	Classification
Nitric acid potassium salt	>= 25 - < 30	Fire hazard - Delayed (chronic) health hazard Fire hazard
Ammonium chloride	>= 12.5 - < 15	Immediate (acute) health hazard EYE IRRITATION - Category 2A ACUTE TOXICITY - oral - Category 4
Ammonium nitrate	>= 35 - < 45	Fire hazard - Immediate (acute) health hazard EYE IRRITATION - Category 2A OXIDIZING SOLIDS - Category 3

Page 14 of 17

SARA 313

Form R - Reporting requirements

Product name	CAS number	%
Ammonium nitrate	6484-52-2	>= 35 - < 45
Nitric acid potassium salt	7757-79-1	>= 25 - < 30
Ammonium chloride	12125-02-9	>= 12.5 - < 15
Sulfuric acid ammonium salt (1:2)	7783-20-2	>= 7 - < 10

Supplier notification

Product name	CAS number	%
Ammonium nitrate	6484-52-2	>= 35 - < 45
Nitric acid potassium salt	7757-79-1	>= 25 - < 30
Ammonium chloride	12125-02-9	>= 12.5 - < 15
Sulfuric acid ammonium salt (1:2)	7783-20-2	>= 7 - < 10

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : The following components are listed:

Sulfuric acid, calcium salt (1:1)

New York : The following components are listed:

Ammonium chloride

New Jersey: The following components are listed:

Ammonium nitrate

Nitric acid potassium salt

Ammonium chloride

Sulfuric acid, calcium salt (1:1)

Pennsylvania : The following components are listed:

Sulfuric acid, calcium salt (1:1) Sulfuric acid ammonium salt (1:2)

Ammonium chloride

Nitric acid potassium salt

Ammonium nitrate

California Prop. 65

⚠ WARNING: Cancer and Reproductive Harm - <u>www.P65Warnings.ca.gov.</u>

Inventory list

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

Japan inventory: All components are listed or exempted.

China inventory (IECSC): All components are listed or exempted.

Australia inventory (AICS): All components are listed or exempted.

Canada inventory: All components are listed or exempted.

United States inventory (TSCA 8b): All components are listed or exempted. EC INVENTORY (EINECS/ELINCS): All components are listed or exempted.

Canada: All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health /		2
Flammability		0
Physical hazards		0


Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on MSDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Chronic toxicity:

- -: No data available.
- *: Carcinogen, Target organs, Reproductive effects, Sensitizer to lungs

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

Classification	Justification
EYE IRRITATION - Category 2A	Calculation method

History

Date of printing: 02/10/2020Date of issue/Date of revision: 02/06/2020Date of previous issue: 00/00/0000

Version : 1.0

Prepared by: Yara Chemical Compliance (YCC). **Key to abbreviations**: ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and

Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of

1978. ("Marpol" = marine pollution)

SGG = Segregation Group

UN = United Nations

Key data sources : EU REACH ECHA/IUCLID5 CSR.

National Institute for Occupational Safety and Health, U.S. Dept. of Health, Education, and Welfare, Reports and Memoranda Registry of Toxic Effects of Chemical

Substances.

Sphera Solutions Inc., 4777 Levy Street, St Laurent, Quebec

HAR 2P9, Canada.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.